

Safety Data Sheet

<sup>®</sup> Prepared in Accordance with HCS 29 C.F.R. 1910.1200

# 1. Identification of the Substance/Mixture and the Company/Undertaking

1.1	Product Identifier	0298S7NL	Revision Date:	12/05/2022
	Product Name:	PYROCRETE 241 HY	Supercedes Date:	05/24/2021
1.2	Relevant identified uses of the substance or mixture and uses advised against	Fireproofing material.		
1.3	Details of the supplier of the safety	data sheet		
	Manufacturer:	Carboline Global Inc. 2150 Schuetz Road St. Louis, MO USA 63146 Regulatory / Technical Information:		
		Contact Carboline Technical Services at 1-800-848-4645		
	Datasheet Produced by:	Schlereth, Ken - regulatory@carboline.com		
1.4	Emergency telephone number:	CHEMTREC 1-800-424-9300 (Inside US) CHEMTREC +1 703 5273887 (Outside US) HEALTH - Pittsburgh Poison Control 1-412-68	1-6669	

# 2. Hazard Identification

## 2.1 Classification of the substance or mixture

Carcinogenicity, category 1A STOT, single exposure, category 3, RTI Skin Corrosion, category 1 Skin Sensitizer, category 1

#### 2.2 Label elements

## Symbol(s) of Product



Signal Word

Danger

### Named Chemicals on Label

CALCIUM OXIDE, SODIUM SILICATE, MICA, MICROCRYSTALLINE SILICA, PORTLAND CEMENT

#### HAZARD STATEMENTS

Skin Corrosion, category 1 Skin Sensitizer, category 1 STOT, single exposure, category 3, RTI Carcinogenicity, category 1A <b>PRECAUTION PHRASES</b>	H314-1 H317 H335 H350-1A	Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause respiratory irritation. May cause cancer.
	P201	Obtain special instructions before use.
	P202	Do not handle until all safety precautions have been read and understood.
	P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	P264	Wash hands thoroughly after handling.
	P280	Wear protective gloves/protective clothing/eye protection/ face protection.
	P284	Wear respiratory protection.
	P301+310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
	P301+330+331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P302+352	IF ON SKIN: Wash with plenty of soap and water.
	P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
	P308+313	IF exposed or concerned: Get medical advice/attention
	P333+313	If skin irritation or rash occurs: Get medical advice/attention.
	P363	Wash contaminated clothing before reuse.

# 2.3 Other hazards

No Information

## Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

# 3. Composition/Information On Ingredients

## 3.2 Mixtures

#### Hazardous ingredients

Name According to EEC	<u>EINEC No.</u>	<u>CAS-No.</u>	<u>%</u>	Classifications	Eye Dam. 1, Skin Irrit. 2, Skin
PORTLAND CEMENT	266-043-4	65997-15-1	25 - <50	H315-317-318	Sens. 1
MICA	310-127-6	12001-26-2	10 - <25	H319-335	Eye Irrit. 2, STOT SE 3 RTI

Date Printed: 06/09/2023

Product: 0298S7NL

LIMESTONE	215-279-6	1317-65-3	2.5 - <10	H315-319	Eye Irrit. 2, Skin Irrit. 2
CALCIUM OXIDE		1305-78-8	1.0 - <2.5	H315-318-335	Eye Dam. 1, Skin Irrit. 2, STOT SE 3 RTI
SODIUM SILICATE	215-687-4	1344-09-8	1.0 - <2.5	H290-314-335	
MICROCRYSTALLINE	238-878-4	14808-60-7	0.1 - <1.0	H350-372	Carc. 1A, STOT RE 1

CAS-No.	M-Factors
65997-15-1	0
12001-26-2	0
1317-65-3	0
1305-78-8	0
1344-09-8	0
14808-60-7	0

Additional Information: The text for GHS Hazard Statements shown above (if any) is given in Section 16.

# 4. First-aid Measures

### 4.1 Description of First Aid Measures

AFTER INHALATION: Remove person to fresh air. If signs/symptoms continue, get medical attention. AFTER SKIN CONTACT: Wash off with soap and plenty of water. AFTER EYE CONTACT: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. AFTER INGESTION: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If swallowed, call a poison control centre or doctor immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

Irritating to respiratory system.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No Information

## 5. Fire-fighting Measures

## 5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam, Water Fog

UNUSUAL FIRE AND EXPLOSION HAZARDS: No Information

FOR SAFETY REASONS NOT TO BE USED: No Information

- 5.2 Special hazards arising from the substance or mixture No Information
- 5.3 Advice for firefighters

SPECIAL FIREFIGHTING PROCEDURES: The product is not flammable.

SPECIAL FIREFIGHTING PROTECTION EQUIPMENT: No Information

## 6. Accidental Release Measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Sweep up to prevent slipping hazard. Forms slippery/greasy layers with water.

#### **Environmental precautions** 6.2

No Information

#### Methods and material for containment and cleaning up 6.3

No Information

#### Reference to other sections 6.4

No Information

# 7. Handling and Storage

#### Precautions for safe handling 7.1

INSTRUCTIONS FOR SAFE HANDLING : Avoid breathing dust. Do not breathe vapours or spray mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling.

PROTECTION AND HYGIENE MEASURES : Handle in accordance with good industrial hygiene and safety practice. Do not breathe dust. Wash hands before eating, drinking, or smoking.

#### 7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Exposure to moisture. STORAGE CONDITIONS: Keep containers tightly closed in a dry, cool and well-ventilated place.

#### 7.3 Specific end use(s)

No Information

# 8. Exposure Controls/Personal Protection

## 8.1 Control parameters

#### Ingredients with Occupational Exposure Limits

(US)

Name	CAS-No.	ACGIH TWA	ACGIH STEL	ACGIH Ceiling
PORTLAND CEMENT	65997-15-1	1 MGM3	N/E	N/E
MICA	12001-26-2	3 MGM3	N/E	N/E
LIMESTONE	1317-65-3	N/E	N/E	N/E
CALCIUM OXIDE	1305-78-8	2 MGM3	N/E	N/E
SODIUM SILICATE	1344-09-8	N/E	N/E	N/E
MICROCRYSTALLINE SILICA	14808-60-7	0.025 MGM3	N/E	N/E
Name	CAS-No.	<u>OSHA PI</u>	<u>EL OSHA S</u>	TEL
PORTLAND CEMENT	65997-15-1	5 MGM3 15	MGM3 N/E	
MICA	12001-26-2	20. MPPCF	N/E	
LIMESTONE	1317-65-3	5 MGM3 15 MGM3 15 M MGM3 15 M	IGM3 5 N/E	
CALCIUM OXIDE	1305-78-8	5 MGM3	N/E	
SODIUM SILICATE	1344-09-8	N/E	N/E	
MICROCRYSTALLINE SILICA	14808-60-7	0.05 MGM3	N/E	

#### FURTHER ADVICE: No Information

#### 8.2 Exposure controls

#### **Personal Protection**

**RESPIRATORY PROTECTION:** Effective dust mask. Use NIOSH approved respiratory protection. **EYE PROTECTION:** Safety glasses with side-shields. **HAND PROTECTION:** For prolonged or repeated contact use protective gloves. **OTHER PROTECTIVE EQUIPMENT:** None.

ENGINEERING CONTROLS: Avoid dust accumulation in enclosed space.

# 9. Physical and Chemical Properties

9.1	Information on basic physical and chemical properties	
	Appearance:	Grey, Speckled Powder
	Physical State	Solid
	Odor	Dusty
	Odor threshold	N/D
	рН	N/D
	Melting point / freezing point (°C)	N/D
	Boiling point/range (°C)	N/A - N/A
	Flash Point (°C)	None
	Evaporation rate	N/A
	Flammability (solid, gas)	Not determined
	Upper/lower flammability or explosive limits	N/A - N/A
	Vapour Pressure, mmHg	N/D
	Vapour density	N/A
	Relative density	Not determined
	Solubility in / Miscibility with water	N/D
	Partition coefficient: n-octanol/water	Not determined
	Auto-ignition temperature (°C)	Not determined
	Decomposition temperature (°C)	Not determined
	Viscosity	Unknown
	Explosive properties	Not determined
	Oxidising properties	Not determined
9.2	Other information	
	VOC Content g/I:	0
	Specific Gravity (g/cm3)	0.12

# 10. Stability and Reactivity

10.1 Reactivity

No Information

# 10.2 Chemical stability

Stable under normal conditions.

# 10.3 Possibility of hazardous reactions

Hazardous polymerisation does not occur.

# 10.4 Conditions to avoid

Exposure to moisture.

### **10.5 Incompatible materials** Strong oxidizing agents.

#### **10.6 Hazardous decomposition products** None known.

# 11. Toxicological Information

Acute Toxicity:	
Oral LD50:	N/D
Inhalation LC50:	N/D
Irritation:	Unknown
Corrosivity:	Unknown
Sensitization:	Unknown
Repeated dose toxicity:	Unknown
Carcinogenicity:	Unknown
Mutagenicity:	Unknown
Toxicity for reproduction:	Unknown
STOT-single exposure:	No Information
STOT-repeated exposure:	No Information
Aspiration hazard:	No Information

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Vapor LC50	Gas LC50	<u>Dust/Mist</u> LC50
65997-15-1	PORTLAND CEMENT	Not Available		Not Available	0.000	0.000
12001-26-2	MICA	Not Available	Not Available	Not Available	0.000	0.000
1317-65-3	LIMESTONE	Not Available	Not Available	5,000 mg/kg, rat, oral	0.000	0.000
1305-78-8	CALCIUM OXIDE	Not Available		Not Available	0.000	0.000
1344-09-8	SODIUM SILICATE	Not Available		Not Available	0.000	0.000

14808-60-7 MICROCRYS	FALLINE SILICA 22500 mg/k	g Not Available	Not Available	0.000	0.000
----------------------	---------------------------	-----------------	---------------	-------	-------

#### Additional Information:

The cement contained within this product may cause dermal sensitization due to the potential presence of trace amounts of hexavalent chromium. Constituents of this product may include crystalline silica which, if inhalable, may cause silicosis, a form or progressive pulmonary fibrosis. Inhalable crystalline silica is listed by IARC as a group 1 carcinogen (lung) based on sufficient evidence in occupationally exposed humans and sufficient evidence in animals. Crystalline silica is also listed by the NTP as a known human carcinogen. This classification is relevant when exposed to Quartz (silicon dioxide) in dust or powder form only, including cured product that is subject to sanding, grinding, cutting, or other surface preparation activities. Constituents may also include abestiform or non-asbestiform tremolite or other silicates as impurities, and above dei minimus exposure to these impurities in inhalable form may be carcinogenic or cause other serious lung problems.

# 12. Ecological Information

12.1 To:	xicity:					
I	EC50 48hr (Daphnia):	Unknown				
I	IC50 72hr (Algae):	Unknown				
I	LC50 96hr (fish):	Unknown				
12.2 Pe	rsistence and degradability:	Unknown				
12.3 Bio	paccumulative potential:	Unknown				
12.4 Mo	bbility in soil:	Unknown				
	esults of PBT and vPvB sessment:	The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.				
12.6 Oth	her adverse effects:	Unknown				
CAS-No.	Chemical Name	<u>EC50 48hr</u>	<u>IC50 72hr</u>	<u>LC50 96hr</u>		
65997-15	-1 PORTLAND CEMENT	No information	No information	No information		
12001-26	-2 MICA	No information	No information	No information		
1317-65-3	3 LIMESTONE	1,000 mg/l	200 mg/l	10,000 mg/l		
1305-78-8	8 CALCIUM OXIDE	No information	No information	No information		
1344-09-8	8 SODIUM SILICATE	No information	No information	No information		
14808-60	-7 MICROCRYSTALLINE SILICA	No information	No information	No information		
	anacal Considerations					

# 13. Disposal Considerations

**13.1** WASTE TREATMENT METHODS: Dispose of in accordance with local regulations.

# 14. Transport Information

	•	
14.1	UN number	None
14.2	UN proper shipping name	Not Regulated
	Technical name	N/A
14.3	Transport hazard class(es)	None
	Subsidiary shipping hazard	N/A
14.4	Packing group	N/A
14.5	Environmental hazards	Unknown
14.6	Special precautions for user	Unknown
	EmS-No.:	N/A
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code	Unknown

# 15. Regulatory Information

<sup>15.1</sup> Safety, health and environmental regulations/legislation for the substance or mixture:

# U.S. Federal Regulations: As follows -

## **CERCLA - Sara Hazard Category**

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Carcinogenicity, Skin Corrosion or Irritation, Respiratory or Skin Sensitization, Specific target organ toxicity (single or repeated exposure)

#### Sara Section 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

No SARA 313 substances exist in this product above de minimis concentrations.

#### **Toxic Substances Control Act:**

All components of this product are either listed on the TSCA Inventory or are exempt.

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

No TSCA 12(b) components exist in this product.

# U.S. State Regulations: As follows -

#### New Jersey Right-to-Know:

The following materials are non-hazardous, but are among the top five components in this product.

Chemical Name	CAS-No.
ALUMINUM HYDROXIDE	21645-51-2
VERMICULITE	1318-00-9
AMORPHOUS SILICATE	93763-70-3

#### Pennsylvania Right-To-Know

The following non-hazardous ingredients are present in the product at greater than 3%.

Chemical Name	CAS-No.	
ALUMINUM HYDROXIDE	21645-51-2	
VERMICULITE	1318-00-9	
AMORPHOUS SILICATE	93763-70-3	
CALIFORNIA PROPOSITION 65		

WARNING: Cancer and Reproductive Harm -- www.P65Warnings.ca.gov

# International Regulations: As follows -

## \* Canadian DSL:

All chemical ingredients included on inventory (DSL)

#### 15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

# 16. Other Information

#### Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H350	May cause cancer.
H372	Causes damage to organs through prolonged or repeated exposure.

#### Reasons for revision

No Information

The information contained herein is, to the best of our knowledge and belief accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.

Date Printed: 06/09/2023