

Safety Data Sheet

<sup>®</sup> Prepared in Accordance with HCS 29 C.F.R. 1910.1200

# 1. Identification of the Substance/Mixture and the Company/Undertaking

1.1	Product Identifier	0479A1NL	Revision Date:	12/05/2022	
	Product Name:	CARBOZINC 85 PART A	Supercedes Date:	05/28/2015	
1.2	Relevant identified uses of the substance or mixture and uses advised against	No Information			
1.3	Details of the supplier of the safety data sheet				
	Manufacturer:	Carboline Global Inc. 2150 Schuetz Road St. Louis, MO USA 63146			
		Regulatory / Technical Information: Contact Carboline Technical Services at 1-800-848-4645			
	Datasheet Produced by:	Schlereth, Ken - regulatory@carboline.co	m		
1.4	Emergency telephone number:	CHEMTREC 1-800-424-9300 (Inside US) CHEMTREC +1 703 5273887 (Outside US) HEALTH - Pittsburgh Poison Control 1-41	5)		

# 2. Hazard Identification

# 2.1 Classification of the substance or mixture

Hazardous to the aquatic environment, Chronic, category 2 Carcinogenicity, category 1A Serious Eye Damage, category 1 Flammable Liquid, category 3 STOT, repeated exposure, category 2 STOT, single exposure, category 3, NE STOT, single exposure, category 3, RTI Skin Irritation, category 2 Skin Sensitizer, category 1

# 2.2 Label elements

## Symbol(s) of Product



Signal Word

Danger

# Named Chemicals on Label

N-BUTANOL, TRIETHYLENETETRAMINE, SOLVENT NAPHTHA, AROMATIC HYDROCARBON, TOFA, REACTION PRODUCTS WITH TEPA, ORGANOPHILIC CLAY

# HAZARD STATEMENTS

Flammable Liquid, category 3	H226	Flammable liquid and vapour.
Skin Irritation, category 2	H315	Causes skin irritation.
Skin Sensitizer, category 1	H317	May cause an allergic skin reaction.
Serious Eye Damage, category 1	H318	Causes serious eye damage.
STOT, single exposure, category 3, RTI	H335	May cause respiratory irritation.
STOT, single exposure, category 3, NE	H336	May cause drowsiness or dizziness.
Carcinogenicity, category 1A	H350-1A	May cause cancer.
STOT, repeated exposure, category 2	H373	May cause damage to organs through prolonged or repeated exposure.
Hazardous to the aquatic environment, Chronic, category 2	H411	Toxic to aquatic life with long lasting effects.
PRECAUTION PHRASES		
	P201	Obtain special instructions before use.
	P202	Do not handle until all safety precautions have been read and understood.
	P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
	P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	P273	Avoid release to the environment.
	P280	Wear protective gloves/protective clothing/eye protection/ face protection.
	P284	Wear respiratory protection.
	P301+310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
	P302+352	IF ON SKIN: Wash with plenty of soap and water.
	P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
	P308+313	IF exposed or concerned: Get medical advice/attention
	P314	Get medical advice/attention if you feel unwell.
	P333+313	If skin irritation or rash occurs: Get medical advice/attention.
	P391	Collect spillage.
	P403+233	Store in a well-ventilated place. Keep container tightly closed.
ADDITIONAL INFORMATION		
	Note_P 64742-95-6	Note P : The classification as a carcinogen or mutagen need not apply; the substance, CAS 64742-95-6, contains less than 0,1 % w/w benzene

# 2.3 Other hazards

No Information

# Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

# 3. Composition/Information On Ingredients

# 3.2 Mixtures

Hazardous ingredients					
Name According to EEC POLYAMIDE ADDUCT	EINEC No.	CAS-No. TRADE SECRET	<u>%</u> 25 - <50	<u>Classifications</u>	
AROMATIC HYDROCARBON	265-199-0	64742-95-6	10 - <25	H304-315-319-332-335-336-351 -411	Acute Tox. 4 Inhalation, Aquatic Chronic 2, Asp. Tox. 1, Carc. 2, Eye Irrit. 2, Skin Irrit. 2, STOT SE 3 NE, STOT SE 3 RTI
N-BUTANOL	200-751-6	71-36-3	10 - <25	H226-302-315-318-335-336	Acute Tox. 4 Oral, Eye Dam. 1, Flam. Liq. 3, Skin Irrit. 2, STOT SE 3 NE, STOT SE 3 RTI
SOLVENT NAPHTHA	265-149-8	64742-47-8	2.5 - <10	H304-315-335-336	Asp. Tox. 1, Skin Irrit. 2, STOT SE 3 NE, STOT SE 3 RTI
ORGANOPHILIC CLAY	273-219-4	68953-58-2	2.5 - <10	H350-372	Carc. 1A, STOT RE 1
TOFA, REACTION PRODUCTS WITH TEPA	273-201-6	68953-36-6	2.5 - <10	H314-317-400-410	Aquatic Acute 1, Aquatic Chronic 1, Skin Corr. 1, Skin Sens. 1
STODDARD SOLVENT	232-489-3	8052-41-3	2.5 - <10	H226-304	
TRIETHYLENETETRA MINE	203-950-6	112-24-3	1.0 - <2.5	H302-312-314-317-412	
ETHYL BENZENE	202-849-4	100-41-4	0.1 - <1.0	H225-304-315-319-332-351-373 -412	Acute Tox. 4 Inhalation, Aquatic Chronic 3, Asp. Tox. 1, Carc. 2, Eye Irrit. 2, Flam. Liq. 2, Skin Irrit. 2, STOT RE 2
CUMENE	202-704-5	98-82-8	0.1 - <1.0	H226-304-335-411	Aquatic Chronic 2, Asp. Tox. 1, Flam. Liq. 3, STOT SE 3 RTI

CAS-No.	M-Factors
TRADE	0
SECRET	0
64742-95-6	0
71-36-3	0
64742-47-8	0
68953-58-2	0
68953-36-6	0
8052-41-3	0
112-24-3	0
100-41-4	0
98-82-8	0

### Additional Information: The text for GHS Hazard Statements shown above (if any) is given in Section 16.

# 4. First-aid Measures

#### 4.1 Description of First Aid Measures

**AFTER INHALATION:** Give oxygen or artificial respiration if needed. Remove person to fresh air. If signs/symptoms continue, get medical attention.

AFTER SKIN CONTACT: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If skin irritation persists, call a physician.

AFTER EYE CONTACT: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. AFTER INGESTION: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If swallowed, call a poison control centre or doctor immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritating to eyes and skin. May be harmful if swallowed.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11. When symptoms persist or in all cases of doubt seek medical advice.

# 5. Fire-fighting Measures

#### 5.1 Extinguishing Media:

#### Carbon Dioxide, Dry Chemical, Foam, Water Fog

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Combustible LiquidProvide adequate ventilation. Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

FOR SAFETY REASONS NOT TO BE USED: No Information

5.2 Special hazards arising from the substance or mixture No Information

#### 5.3 Advice for firefighters

SPECIAL FIREFIGHTING PROCEDURES: In the event of fire, wear self-contained breathing apparatus. Combustible material. Cool containers / tanks with water spray.

SPECIAL FIREFIGHTING PROTECTION EQUIPMENT: No Information

# 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear self-contained breathing apparatus and protective suit. Wear suitable gloves and eye/face protection. Ensure adequate ventilation. Evacuate personnel to safe areas. Remove all sources of ignition. To avoid ignition of vapours by static electricity discharge, all metal parts of the equipment must be grounded. Wear personal protective equipment. For personal protection see section 8.

#### 6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains.

# 6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

#### 6.4 Reference to other sections

No Information

# 7. Handling and Storage

#### 7.1 Precautions for safe handling

**INSTRUCTIONS FOR SAFE HANDLING**: Keep containers dry and tightly closed to avoid moisture absorption and

contamination. Prepare the working solution as given on the label(s) and/or the user instructions. Do not breathe vapours or spray mist. Ensure all equipment is electrically grounded before beginning transfer operations. Do not get in eyes, on skin, or on clothing. Use only with adequate ventilation/personal protection. Wash thoroughly after handling.

**PROTECTION AND HYGIENE MEASURES :** Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### CONDITIONS TO AVOID: Heat, flames and sparks.

**STORAGE CONDITIONS:** Keep container closed when not in use. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

# 7.3 Specific end use(s)

No specific advice for end use available.

# 8. Exposure Controls/Personal Protection

# 8.1 Control parameters

# Ingredients with Occupational Exposure Limits

(US)

Name	CAS-No.	ACGIH TWA	ACGIH STEL	ACGIH Ceiling
POLYAMIDE ADDUCT	TRADE SECRET	NE	N/E	N/E
AROMATIC HYDROCARBON	64742-95-6	300.0 PPM	N/E	N/E
N-BUTANOL	71-36-3	20 PPM	N/E	N/E
SOLVENT NAPHTHA	64742-47-8	100.0 PPM	N/E	N/E
ORGANOPHILIC CLAY	68953-58-2	NE	N/E	N/E
TOFA, REACTION PRODUCTS WITH TEPA	68953-36-6	N/E	N/E	N/E
STODDARD SOLVENT	8052-41-3	100 ppm	N/E	N/E
TRIETHYLENETETRAMINE	112-24-3	N/E	N/E	N/E
ETHYL BENZENE	100-41-4	20 PPM	125 ppm	
CUMENE	98-82-8	50 PPM	N/E	N/E
Name	CAS-No.	<u>OSHA PEI</u>	<u>OSHAS</u>	STEL
POLYAMIDE ADDUCT	TRADE SECRET	NE		
AROMATIC HYDROCARBON	64742-95-6	500.0 PPM	N/E	E
N-BUTANOL	71-36-3	300.0 MG/M3	B N/E	E
SOLVENT NAPHTHA	64742-47-8	500.0 PPM	N/E	Ξ
ORGANOPHILIC CLAY	68953-58-2	NE	N/E	E
TOFA, REACTION PRODUCTS WITH TEPA	68953-36-6	N/E	N/E	E
STODDARD SOLVENT	8052-41-3	525 MGM3, 1	00 PPM N/E	E
TRIETHYLENETETRAMINE	112-24-3	N/E	N/E	E
ETHYL BENZENE	100-41-4	435 MGM3, 1	00 PP <b>5/4</b> 5 MGN PPI	

CUMENE

98-82-8
---------

245 MGM3, 50 PPM N/E

**FURTHER ADVICE:** Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

### 8.2 Exposure controls

### **Personal Protection**

**RESPIRATORY PROTECTION:** In order to avoid inhalation of spray-mist and sanding dust, all spraying and sanding must be done wearing adequate respirator. Use only with ventilation to keep levels below exposure guidelines reported in this document. User should test and monitor exposure levels to ensure all personnel are below guidelines. If not sure, or not able to monitor, use State or federally approved supplied air respirator. For silica containing coatings in a liquid state, and/or if no exposure limits are established above, air-supplied respirators are generally not required.

EYE PROTECTION: Safety glasses with side-shields.

**HAND PROTECTION:** Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Impervious gloves. Request information on glove permeation properties from the glove supplier. Lightweight protective clothing

**OTHER PROTECTIVE EQUIPMENT:** Ensure that eyewash stations and safety showers are close to the workstation location. **ENGINEERING CONTROLS:** Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

# 9. Physical and Chemical Properties

9.1	Information on basic physical and chemical properties Appearance:	Light Brown Liquid
	Physical State	Liquid
	Odor	Solvent
	Odor threshold	N/D
	рН	N/D
	Melting point / freezing point (°C)	N/D
	Boiling point/range (°C)	176 F (80 C) - 531 F (277 C)
	Flash Point (°C)	102F (39C)
	Evaporation rate	Slower Than Ether
	Flammability (solid, gas)	Not determined
	Upper/lower flammability or explosive limits	0.6 - 11.2
	Vapour Pressure, mmHg	N/D
	Vapour density	Heavier than Air
	Relative density	Not determined
	Solubility in / Miscibility with water	N/D
	Partition coefficient: n-octanol/water	Not determined
	Auto-ignition temperature (°C)	Not determined
	Decomposition temperature (°C)	Not determined
	Viscosity	Unknown
	Explosive properties	Not determined
	Oxidising properties	Not determined

9.2 Other information

VOC Content g/I:	300
Specific Gravity (g/cm3)	0.93

10. Stability and Reactivity	
10.1 Reactivity	

No reactivity hazards known under normal storage and use conditions.

# 10.2 Chemical stability

Stable under normal conditions.

**10.3 Possibility of hazardous reactions** Hazardous polymerisation does not occur.

#### **10.4 Conditions to avoid** Heat, flames and sparks.

**10.5 Incompatible materials** Strong oxidizing agents.

# 10.6 Hazardous decomposition products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

# 11. Toxicological Information

## 11.1 Information on toxicological effects

Acute Toxicity:	
Oral LD50:	N/D
Inhalation LC50:	N/D
Irritation:	Unknown
Corrosivity:	Unknown
Sensitization:	Unknown
Repeated dose toxicity:	Unknown
Carcinogenicity:	Unknown
Mutagenicity:	Unknown
Toxicity for reproduction:	Unknown
STOT-single exposure:	No Information
STOT-repeated exposure:	No Information
Aspiration hazard:	No Information
	Oral LD50: Inhalation LC50: Irritation: Corrosivity: Sensitization: Sensitization: Repeated dose toxicity: Carcinogenicity: Mutagenicity: Toxicity for reproduction: STOT-single exposure: STOT-repeated exposure:

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Vapor LC50	Gas LC50	<u>Dust/Mist</u> LC50
TRADE SECRET	POLYAMIDE ADDUCT	NOT AVAILABLE		NOT AVAILABLE	0.000	0.000

64742-95-6	AROMATIC HYDROCARBON	4700 mg/kg, oral, rat	Not Available	3670 ppm/8 hours, rat, inhalation	0.000	0.000
71-36-3	N-BUTANOL	790 mg/kg rat, oral	3400 mg/kg, dermal, rabbit	8000 ppm / 4hrs rat, inhalation	0.000	0.000
64742-47-8	SOLVENT NAPHTHA	Not Available	Not Available	Not Available	0.000	0.000
68953-58-2	ORGANOPHILIC CLAY	Not Available		Not Available	0.000	0.000
68953-36-6	TOFA, REACTION PRODUCTS WITH TEPA	4750 mg/kg oral, rat		Not Available	0.000	0.000
8052-41-3	STODDARD SOLVENT	6001 mg/kg, oral, rat	Not Available	5500 mg/m3, 4h, inhalation	0.000	0.000
112-24-3	TRIETHYLENETETRAMINE	1716 mg/kg rat, oral	1465 mg/kg, dermal, rabbit	Not Available		
100-41-4	ETHYL BENZENE	3500 mg/kg rat, oral	>5000 mg/l, dermal rabbit	17.2 mg/L Inh, Rat, 4Hr	0.000	0.000
98-82-8	CUMENE	2910 mg/kg, oral, rat	12300 MG/ KG (RABBIT)	8000 ppm / 4 hours	0.000	0.000

#### Additional Information:

This product may contain Ethyl Benzene, which is listed by IARC as possibly carcinogenic to humans (Group 2B). This listing is based on inadequate evidence of carcinogenicity in humans and sufficient evidence in experimental animals.

12. Ecological Information						
12.1 Toxicity:						
	EC	50 48hr (Daphnia):	Unkno	own		
	IC5	0 72hr (Algae):	Unkno	own		
	LC	50 96hr (fish):	Unkno	own		
12.2 Persistence and degradability:		Unknown				
12.3 Bioaccumulative potential:		Unknown				
12.4	2.4 Mobility in soil:		Unknown			
12.5	2.5 Results of PBT and vPvB assessment:		The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.			
12.6	2.6 Other adverse effects:		Unknown			
CAS-N	<u>No.</u>	Chemical Name		<u>EC50 48hr</u>	IC50 72hr	LC50 96hr
TRAD SECR		POLYAMIDE ADDUCT		No information	No information	No information
64742	2-95-6	AROMATIC HYDROCARBON		No information	No information	No information
71-36	-3	N-BUTANOL		1328 mg/l (Daphnia magna)	225 mg/l (Algae)	1376 mg/l (Fathead minnow)
64742	2-47-8	SOLVENT NAPHTHA		No information	No information	No information
68953	8-58-2	ORGANOPHILIC CLAY		No information	No information	No information
68953	8-36-6	TOFA, REACTION PRODUCTS WITH	TEPA	No information	No information	No information
8052-4	41-3	STODDARD SOLVENT		No information	No information	No information
112-24	4-3	TRIETHYLENETETRAMINE		No information	No information	No information

# 100-41-4ETHYL BENZENE1.8 mg/l (Daphnia<br/>Magna)4.6 mg/l (Green Algae)4.2 mg/l (Rainbow Trout)98-82-8CUMENENo informationNo information6/32 mg/l (Fish)

# 13. Disposal Considerations

**13.1** WASTE TREATMENT METHODS: Do not burn, or use a cutting torch on, the empty drum. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# 14. Transport Information

14.1	UN number	UN 1263
14.2	UN proper shipping name	Paint
	Technical name	N/A
14.3	Transport hazard class(es)	3
	Subsidiary shipping hazard	N/A
14.4	Packing group	111
14.5	Environmental hazards	Unknown
14.6	Special precautions for user	Unknown
	EmS-No.:	F-E, S-E
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code	Unknown

# **15. Regulatory Information**

<sup>15.1</sup> Safety, health and environmental regulations/legislation for the substance or mixture:

# U.S. Federal Regulations: As follows -

#### **CERCLA - Sara Hazard Category**

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Flammable (gases, aerosols, liquids, or solids), Carcinogenicity, Skin Corrosion or Irritation, Respiratory or Skin Sensitization, Serious eye damage or eye irritation, Specific target organ toxicity (single or repeated exposure)

# Sara Section 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

Chemical Name	CAS-No.	<u>%</u>	
N-BUTANOL	71-36-3	16.2	
ETHYL BENZENE	100-41-4	0.24	
CUMENE	98-82-8	0.18	

# **Toxic Substances Control Act:**

All components of this product are either listed on the TSCA Inventory or are exempt.

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

#### **Chemical Name**

# CAS-No.

No TSCA 12(b) components exist in this product.

# U.S. State Regulations: As follows -

#### New Jersey Right-to-Know:

The following materials are non-hazardous, but are among the top five components in this product.

CAS-No.

#### Chemical Name

No NJ Right-To-Know components exist in this product.

#### Pennsylvania Right-To-Know

The following non-hazardous ingredients are present in the product at greater than 3%.

No PA Right-To-Know components exist in this product. CALIFORNIA PROPOSITION 65

WARNING: Cancer and Reproductive Harm -- www.P65Warnings.ca.gov

# International Regulations: As follows -

# \* Canadian DSL:

No Information

# 15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

16. Other Information						
Text for GHS Hazard Statements shown in Section 3 describing each ingredient:						
H225	Highly flammable liquid and vapour.					
H226	Flammable liquid and vapour.					
H302	Harmful if swallowed.					
H304	May be fatal if swallowed and enters airways.					
H312	Harmful in contact with skin.					
H314	Causes severe skin burns and eye damage.					
H315	Causes skin irritation.					
H317	May cause an allergic skin reaction.					
H318	Causes serious eye damage.					
H319	Causes serious eye irritation.					
H332	Harmful if inhaled.					
H335	May cause respiratory irritation.					
H336	May cause drowsiness or dizziness.					
H350	May cause cancer.					
H351	Suspected of causing cancer.					
H372	Causes damage to organs through prolonged or repeated exposure.					
H373	May cause damage to organs through prolonged or repeated exposure.					
H400	Very toxic to aquatic life.					
H410	Very toxic to aquatic life with long lasting effects.					

- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

## **Reasons for revision**

No Information

The information contained herein is, to the best of our knowledge and belief accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.