

Safety Data Sheet

[®] Prepared in Accordance with HCS 29 C.F.R. 1910.1200

1. Identification of the Substance/Mixture and the Company/Undertaking

1.1	Product Identifier	343P01NL	Revision Date:	12/05/2022
	Product Name:	PLASITE 4100/4110 PART D	Supercedes Date:	02/22/2022
1.2	Relevant identified uses of the substance or mixture and uses advised against	Component of multicomponent industrial coatings - Industrial use.		
1.3	Details of the supplier of the safety			
	Manufacturer:	Carboline Global Inc. 2150 Schuetz Road St. Louis, MO USA 63146 Regulatory / Technical Information:		
		Contact Carboline Technical Services at 1-800-848-4645		
	Datasheet Produced by:	Schlereth, Ken - regulatory@carboline.com		
1.4	Emergency telephone number:	CHEMTREC 1-800-424-9300 (Inside US) CHEMTREC +1 703 5273887 (Outside US) HEALTH - Pittsburgh Poison Control 1-412-68	1-6669	

2. Hazard Identification

2.1 Classification of the substance or mixture

Acute Toxicity, Inhalation, category 4 Hazardous to the aquatic environment, Chronic, category 3 Eye Irritation, category 2 Reproductive Toxicity, category 2 Skin Irritation, category 2 Skin Sensitizer, category 1

2.2 Label elements

Symbol(s) of Product



Signal Word

Warning

Named Chemicals on Label

NAPHTHENIC ACIDS, COBALT NEODECANOATE, COBALT SALT

HAZARD STATEMENTS

Skin Irritation, category 2	H315	Causes skin irritation.
Skin Sensitizer, category 1	H317	May cause an allergic skin reaction.
Eye Irritation, category 2	H319	Causes serious eye irritation.
Acute Toxicity, Inhalation, category 4	H332	Harmful if inhaled.
Reproductive Toxicity, category 2	H361	Suspected of damaging fertility or the unborn child.
Hazardous to the aquatic environment,	H412	Harmful to aquatic life with long lasting effects.
Chronic, category 3	11712	Harmar to aquatic life with long lasting enects.
PRECAUTION PHRASES		
	P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
	P273	Avoid release to the environment.
	P280	Wear protective gloves/protective clothing/eye protection/
		face protection.
	P284	Wear respiratory protection.
	P302+352	IF ON SKIN: Wash with plenty of soap and water.
	P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a
		position comfortable for breathing.
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes.
		Remove contact lenses, if present and easy to do so.
		Continue rinsing.
	P308+313	IF exposed or concerned: Get medical advice/attention
	P333+313	If skin irritation or rash occurs: Get medical advice/attention.
ADDITIONAL INFORMATION		
	Noto D	Note Dy The classification of a correination or mutation need
	Note_P	Note P : The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w
		benzene
2.3 Other hazards		

2.3 Other hazards

No Information

Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

3. Composition/Information On Ingredients 3.2 Mixtures Hazardous ingredients Name According to EEC EINEC No. Classifications PETROLEUM 265-150-3 64742-48-9 25 - <50</td> H304 Asp. Tox. 1

Date Printed: 05/11/2023 Product: 343P01NL COBALT 2483730 27253-31-2 10 - <25 H317-332-361-412 Acute Tox. 4 Inhalation, NEODECANOATE Aquatic Chronic 3, Repr. 2, Skin Sens. 1 NAPHTHENIC ACIDS Eye Irrit. 2, Skin Irrit. 2, Skin 1338-24-5 10 - <25 H315-317-319 Sens. 1 COBALT SALT 263-064-0 61789-51-3 10 - <25 H317-411 Aquatic Chronic 2, Skin Sens. DM GLYCOL ETHER 203-906-6 111-77-3 2.5 - <10 H361 Repr. 2

CAS-No.	M-Factors
64742-48-9	0
27253-31-2	0
1338-24-5	0
61789-51-3	0
111-77-3	0

Additional Information:

The text for GHS Hazard Statements shown above (if any) is given in Section 16.

4. First-aid Measures

4.1 **Description of First Aid Measures**

AFTER INHALATION: Give oxygen or artificial respiration if needed. Remove person to fresh air. If signs/symptoms continue, get medical attention.

AFTER SKIN CONTACT: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If skin irritation persists, call a physician.

AFTER EYE CONTACT: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. AFTER INGESTION: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If swallowed, call a poison control centre or doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Irritating to eyes and skin. May be harmful if swallowed.

Indication of any immediate medical attention and special treatment needed 4.3

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11. When symptoms persist or in all cases of doubt seek medical advice.

5. Fire-fighting Measures

5.1 **Extinguishing Media:**

Carbon Dioxide, Dry Chemical, Foam

UNUSUAL FIRE AND EXPLOSION HAZARDS: Combustible LiquidProvide adequate ventilation. Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

FOR SAFETY REASONS NOT TO BE USED: No Information

5.2 Special hazards arising from the substance or mixture No Information

Advice for firefighters 5.3

SPECIAL FIREFIGHTING PROCEDURES: In the event of fire, wear self-contained breathing apparatus. Combustible material. Cool containers / tanks with water spray.

SPECIAL FIREFIGHTING PROTECTION EQUIPMENT: No Information

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Evacuate personnel to safe areas. Remove all sources of ignition. To avoid ignition of vapours by static electricity discharge, all metal parts of the equipment must be grounded. Wear personal protective equipment. For personal protection see section 8.

6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains.

6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

No Information

7. Handling and Storage

7.1 Precautions for safe handling

INSTRUCTIONS FOR SAFE HANDLING : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Prepare the working solution as given on the label(s) and/or the user instructions. Do not breathe vapours or spray mist. Ensure all equipment is electrically grounded before beginning transfer operations. Do not get in eyes, on skin, or on clothing. Use only with adequate ventilation/personal protection. Wash thoroughly after handling. **PROTECTION AND HYGIENE MEASURES :** Handle in accordance with good industrial hygiene and safety practice. Wash

hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Heat, flames and sparks.

STORAGE CONDITIONS: Keep container closed when not in use. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

7.3 Specific end use(s)

No specific advice for end use available.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits

(US)

Name	CAS-No.	ACGIH TWA	ACGIH STEL	ACGIH Ceiling
PETROLEUM NAPHTHA	64742-48-9	N/E	N/E	N/E
COBALT NEODECANOATE	27253-31-2	N/E	N/E	N/E
NAPHTHENIC ACIDS	1338-24-5	N/E	N/E	N/E
COBALT SALT	61789-51-3	N/E	N/E	N/E
DM GLYCOL ETHER	111-77-3	N/E	N/E	N/E
Name	CAS-No.	<u>OSHA PE</u>	<u>IL OSHA ST</u>	<u>rel</u>
PETROLEUM NAPHTHA	64742-48-9	N/E	N/E	

Date Printed: 05/11/2023

COBALT NEODECANOATE	27253-31-2	N/E	N/E
NAPHTHENIC ACIDS	1338-24-5	N/E	N/E
COBALT SALT	61789-51-3	N/E	N/E
DM GLYCOL ETHER	111-77-3	N/E	N/E

FURTHER ADVICE: Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

8.2 Exposure controls

Personal Protection

RESPIRATORY PROTECTION: In order to avoid inhalation of spray-mist and sanding dust, all spraying and sanding must be done wearing adequate respirator. Use only with ventilation to keep levels below exposure guidelines reported in this document. User should test and monitor exposure levels to ensure all personnel are below guidelines. If not sure, or not able to monitor, use State or federally approved supplied air respirator. For silica containing coatings in a liquid state, and/or if no exposure limits are established above, air-supplied respirators are generally not required.

EYE PROTECTION: Safety glasses with side-shields.

HAND PROTECTION: Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Impervious gloves. Request information on glove permeation properties from the glove supplier. Lightweight protective clothing

OTHER PROTECTIVE EQUIPMENT: Ensure that eyewash stations and safety showers are close to the workstation location. **ENGINEERING CONTROLS:** Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

9.1Information on basic physical and chemical properties Appearance:Red-Purple Colored LiquidPhysical StateLiquidOdorMild SolventOdor thresholdN/DpHN/DMelting point / freezing point (°C)N/DBoiling point/range (°C)293F (145C) - 390F (199C)Flash Point (°C)142F (61C)Evaporation rateSlower Than EtherFlammability (solid, gas)Not determinedVapour Pressure, mmHgN/DVapour densityN/DRelative densityN/DSolubility in / Miscibility with waterN/DPartition coefficient: n-octanol/waterN/D	9. F	9. Physical and Chemical Properties				
OdorMild SolventOdor thresholdN/DpHN/DMelting point / freezing point (°C)N/DBoiling point/range (°C)293F (145C) - 390F (199C)Flash Point (°C)142F (61C)Evaporation rateSlower Than EtherFlammability (solid, gas)Not determinedUpper/lower flammability or explosive limits1.1 - 6.1Vapour Pressure, mmHgN/DVapour densityHeavier than AirRelative densityNot determinedSolubility in / Miscibility with waterN/D						
Odor thresholdN/DpHN/DMelting point / freezing point (°C)N/DBoiling point/range (°C)293F (145C) - 390F (199C)Flash Point (°C)142F (61C)Evaporation rateSlower Than EtherFlammability (solid, gas)Not determinedUpper/lower flammability or explosive limits1.1 - 6.1Vapour Pressure, mmHgN/DVapour densityHeavier than AirRelative densityNot determinedSolubility in / Miscibility with waterN/D		Physical State	Liquid			
pHN/DMelting point / freezing point (°C)N/DBoiling point/range (°C)293F (145C) - 390F (199C)Flash Point (°C)142F (61C)Evaporation rateSlower Than EtherFlammability (solid, gas)Not determinedUpper/lower flammability or explosive limits1.1 - 6.1Vapour Pressure, mmHgN/DVapour densityHeavier than AirRelative densityNot determinedSolubility in / Miscibility with waterN/D		Odor	Mild Solvent			
Melting point / freezing point (°C)N/DBoiling point/range (°C)293F (145C) - 390F (199C)Flash Point (°C)142F (61C)Evaporation rateSlower Than EtherFlammability (solid, gas)Not determinedUpper/lower flammability or explosive limits1.1 - 6.1Vapour Pressure, mmHgN/DVapour densityHeavier than AirRelative densityNot determinedSolubility in / Miscibility with waterN/D		Odor threshold	N/D			
Boiling point/range (°C)293F (145C) - 390F (199C)Flash Point (°C)142F (61C)Evaporation rateSlower Than EtherFlammability (solid, gas)Not determinedUpper/lower flammability or explosive limits1.1 - 6.1Vapour Pressure, mmHgN/DVapour densityHeavier than AirRelative densityNot determinedSolubility in / Miscibility with waterN/D		рН	N/D			
Flash Point (°C)142F (61C)Evaporation rateSlower Than EtherFlammability (solid, gas)Not determinedUpper/lower flammability or explosive limits1.1 - 6.1Vapour Pressure, mmHgN/DVapour densityHeavier than AirRelative densityNot determinedSolubility in / Miscibility with waterN/D		Melting point / freezing point (°C)	N/D			
Evaporation rateSlower Than EtherFlammability (solid, gas)Not determinedUpper/lower flammability or explosive limits1.1 - 6.1Vapour Pressure, mmHgN/DVapour densityHeavier than AirRelative densityNot determinedSolubility in / Miscibility with waterN/D		Boiling point/range (°C)	293F (145C) - 390F (199C)			
Flammability (solid, gas)Not determinedUpper/lower flammability or explosive limits1.1 - 6.1Vapour Pressure, mmHgN/DVapour densityHeavier than AirRelative densityNot determinedSolubility in / Miscibility with waterN/D		Flash Point (°C)	142F (61C)			
Upper/lower flammability or explosive limits1.1 - 6.1Vapour Pressure, mmHgN/DVapour densityHeavier than AirRelative densityNot determinedSolubility in / Miscibility with waterN/D		Evaporation rate	Slower Than Ether			
limitsN/DVapour Pressure, mmHgN/DVapour densityHeavier than AirRelative densityNot determinedSolubility in / Miscibility with waterN/D		Flammability (solid, gas)	Not determined			
Vapour densityHeavier than AirRelative densityNot determinedSolubility in / Miscibility with waterN/D			1.1 - 6.1			
Relative densityNot determinedSolubility in / Miscibility with waterN/D		Vapour Pressure, mmHg	N/D			
Solubility in / Miscibility with water N/D		Vapour density	Heavier than Air			
		Relative density	Not determined			
Partition coefficient: n-octanol/water Not determined		Solubility in / Miscibility with water	N/D			
		Partition coefficient: n-octanol/water	Not determined			

	Auto-ignition temperature (°C)	Not determined
	Decomposition temperature (°C)	Not determined
	Viscosity	Unknown
	Explosive properties	Not determined
	Oxidising properties	Not determined
9.2	Other information	
	VOC Content g/I:	60
	Specific Gravity (g/cm3)	0.936

10. Stability and Reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Strong oxidizing agents.

10.6 Hazardous decomposition products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

11. Toxicological Information

11.1	Information on toxicological effe	ects
	Acute Toxicity:	
	Oral LD50:	N/D
	Inhalation LC50:	N/D
	Irritation:	Eye Irritation, category 2A; Skin Irritation, category 2
	Corrosivity:	Unknown
	Sensitization:	Skin Sensitizer, category 1
	Repeated dose toxicity:	Unknown
	Carcinogenicity:	Unknown
	Mutagenicity:	Unknown
	Toxicity for reproduction:	Reproductive Toxicity, category 2
	STOT-single exposure:	Unknown
	STOT-repeated exposure:	Unknown
	Aspiration hazard:	Unknown

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Vapor LC50	Gas LC50	<u>Dust/Mist</u> LC50
64742-48-9	PETROLEUM NAPHTHA	N/E		N/E	0.000	0.000
27253-31-2	COBALT NEODECANOATE	Not Available	>2000 mg/kg, dermal, rat 24 hrs	Not Available	0.000	0.000
1338-24-5	NAPHTHENIC ACIDS	5880 mg/kg ,oral, rat	0 mg.kg, dermal, rabbit	Not Available	0.000	0.000
61789-51-3	COBALT SALT	3900 mg/kg, oral, rat		Not Available	0.000	0.000
111-77-3	DM GLYCOL ETHER	7000 mg/kg, oral, rat		Not Available	0.000	0.000

Additional Information:

No Information

12. Ecological Information			
12.1 Toxicity:			
EC50 48hr (Daphnia):	Unknown		
IC50 72hr (Algae):	Unknown		
LC50 96hr (fish):	Unknown		
12.2 Persistence and degradability:	Unknown		
12.3 Bioaccumulative potential:	Unknown		
12.4 Mobility in soil:	Unknown		
12.5 Results of PBT and vPvB assessment:	The product does not mee	t the criteria for PBT/VI	PvB in accordance with Annex >
12.6 Other adverse effects:	Unknown		
CAS-No. Chemical Name	<u>EC50 48hr</u>	<u>IC50 72hr</u>	<u>LC50 96hr</u>
64742-48-9 PETROLEUM NAPHTHA	No information	No information	No information
27253-31-2 COBALT NEODECANOATE	No information	No information	No information
1338-24-5 NAPHTHENIC ACIDS	No information	No information	No information
61789-51-3 COBALT SALT	No information	No information	No information
111-77-3 DM GLYCOL ETHER	No information	No information	No information

13. Disposal Considerations

13.1 WASTE TREATMENT METHODS: Do not burn, or use a cutting torch on, the empty drum. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport Information

	•	
14.1	UN number	UN3082
14.2	UN proper shipping name	Environmentally Hazardous Substance, Liquid. NOS
	Technical name	(Naphthenic Acids Cobalt Salt)
14.3	Transport hazard class(es)	9
	Subsidiary shipping hazard	N/A
14.4	Packing group	III
14.5	Environmental hazards	Yes: Marine Pollutant (Cobalt Naphthenate)
14.6	Special precautions for user	Unknown
	EmS-No.:	F-A, S-F
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code	Unknown
	of MARPOL 73/78 and the IBC code	

15. Regulatory Information

^{15.1} Safety, health and environmental regulations/legislation for the substance or mixture:

U.S. Federal Regulations: As follows -

CERCLA - Sara Hazard Category

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Acute Toxicity (any route of exposure), Reproductive toxicity, Skin Corrosion or Irritation, Respiratory or Skin Sensitization, Serious eye damage or eye irritation

Sara Section 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

No SARA 313 substances exist in this product above de minimis concentrations.

Toxic Substances Control Act:

All components of this product are either listed on the TSCA Inventory or are exempt.

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

No TSCA 12(b) components exist in this product.

U.S. State Regulations: As follows -

New Jersey Right-to-Know:

The following materials are non-hazardous, but are among the top five components in this product.

No NJ Right-To-Know components exist in this product.

Pennsylvania Right-To-Know

The following non-hazardous ingredients are present in the product at greater than 3%.

No PA Right-To-Know components exist in this product. CALIFORNIA PROPOSITION 65

WARNING: Cancer and Reproductive Harm -- www.P65Warnings.ca.gov

International Regulations: As follows -

* Canadian DSL:

All chemical ingredients included on inventory (DSL)

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

16. Other Information

Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H361 Suspected of damaging fertility or the unborn child.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

Reasons for revision

No Information

The information contained herein is, to the best of our knowledge and belief accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.