

Safety Data Sheet

[®] Prepared in Accordance with HCS 29 C.F.R. 1910.1200

1. Identification of the Substance/Mixture and the Company/Undertaking

1.1	Product Identifier	8850B1NL	Revision Date:	12/05/2022
	Product Name:	POLYCLAD 777 SLOW-SET PART B	Supercedes Date:	05/30/2015
1.2	Relevant identified uses of the substance or mixture and uses advised against	No Information		
1.3	Details of the supplier of the safety	data sheet		
	Manufacturer:	Carboline Global Inc. 2150 Schuetz Road St. Louis, MO USA 63146		
		Regulatory / Technical Information: Contact Carboline Technical Services at 1-800-848-4645		
	Datasheet Produced by:	Schlereth, Ken - regulatory@carboline.com		
1.4	Emergency telephone number:	CHEMTREC 1-800-424-9300 (Inside US) CHEMTREC +1 703 5273887 (Outside US) HEALTH - Pittsburgh Poison Control 1-412-681-6669		

2. Hazard Identification

2.1 Classification of the substance or mixture

Eye Irritation, category 2

2.2 Label elements

Symbol(s) of Product



Signal Word

Warning

Named Chemicals on Label None

HAZARD STATEMENTS

Eye Irritation, category 2 PRECAUTION PHRASES	H319	Causes serious eye irritation.
	P280	Wear protective gloves/protective clothing/eye protection/ face protection.
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.

2.3 Other hazards

No Information

Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

3. Composition/Information On Ingredients

3.2 Mixtures

Hazardous ingredients

-					
Name According to EEC TETRAHYDROXYPRO PYLEHTYLENDIAMINE	<u>EINEC No.</u> 203-041-4	<u>CAS-No.</u> 102-60-3	<u>%</u> 25 - <50	<u>Classifications</u> H319	Eye Irrit. 2
TITANIUM DIOXIDE	236-675-5	13463-67-7	2.5 - <10		
CARBON BLACK	215-609-9	1333-86-4	1.0 - <2.5		
SILANE	219-785-8	2530-85-0	1.0 - <2.5	H315-319-335	Eye Irrit. 2, Skin Irrit. 2, STOT SE 3 RTI

CAS-No.	M-Factors
102-60-3	0
13463-67-7	0
1333-86-4	0
2530-85-0	0
Remarks:	CAS No 13463-67-7: Note 10

Additional Information: The text for GHS Hazard Statements shown above (if any) is given in Section 16.

4. First-aid Measures

4.1 Description of First Aid Measures

AFTER INHALATION: Give oxygen or artificial respiration if needed. Remove person to fresh air. If signs/symptoms continue, get medical attention.

AFTER SKIN CONTACT: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If skin irritation persists, call a physician.

AFTER EYE CONTACT: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

AFTER INGESTION: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If swallowed, call a poison control centre or doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Irritating to eyes, respiratory system and skin. May be harmful if swallowed.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

When symptoms persist or in all cases of doubt seek medical advice.

5. Fire-fighting Measures

5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam, Water Fog

UNUSUAL FIRE AND EXPLOSION HAZARDS: Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Vapors may spread long distances and ignite.

FOR SAFETY REASONS NOT TO BE USED: No Information

5.2 Special hazards arising from the substance or mixture No Information

5.3 Advice for firefighters

SPECIAL FIREFIGHTING PROCEDURES: In the event of fire, wear self-contained breathing apparatus. Evacuate personnel to safe areas. Use NIOSH approved respiratory protection. Use water spray to cool unopened containers.

SPECIAL FIREFIGHTING PROTECTION EQUIPMENT: No Information

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Evacuate personnel to safe areas. Remove all sources of ignition. To avoid ignition of vapours by static electricity discharge, all metal parts of the equipment must be grounded. Wear personal protective equipment. For personal protection see section 8.

6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains.

6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

No Information

7. Handling and Storage

7.1 Precautions for safe handling

INSTRUCTIONS FOR SAFE HANDLING : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Prepare the working solution as given on the label(s) and/or the user instructions. Ensure all equipment is electrically grounded before beginning transfer operations. Do not get in eyes, on skin, or on clothing. Use only with adequate ventilation/personal protection. Avoid breathing vapors, mist or gas. Wash thoroughly after handling. **PROTECTION AND HYGIENE MEASURES :** Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Heat, flames and sparks.

STORAGE CONDITIONS: Keep container closed when not in use. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

7.3 Specific end use(s)

No specific advice for end use available.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits (US)

Name	CAS-No.	ACGIH TWA	ACGIH STEL	ACGIH Ceiling
TETRAHYDROXYPROPYLEHTYLENDIAM NE	l 102-60-3	N/E	N/E	N/E
TITANIUM DIOXIDE	13463-67-7	10 mg/m3	N/E	N/E
CARBON BLACK	1333-86-4	3 MGM3	N/E	N/E
SILANE	2530-85-0	N/E	N/E	N/E
<u>Name</u>	CAS-No.	<u>OSHA PE</u>	L OSHA ST	<u>EL</u>
TETRAHYDROXYPROPYLEHTYLENDIAM E	IN 102-60-3	N/E	N/E	
TITANIUM DIOXIDE	13463-67-7	15 MGM3	N/E	
CARBON BLACK	1333-86-4	3.5 MGM3	N/E	
SILANE	2530-85-0	N/E	N/E	

FURTHER ADVICE: Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

8.2 Exposure controls

Personal Protection

RESPIRATORY PROTECTION: In order to avoid inhalation of spray-mist and sanding dust, all spraying and sanding must be done wearing adequate respirator. Use only with ventilation to keep levels below exposure guidelines reported in this document. User should test and monitor exposure levels to ensure all personnel are below guidelines. If not sure, or not able to monitor, use State or federally approved supplied air respirator. For silica containing coatings in a liquid state, and/or if no exposure limits are established above, air-supplied respirators are generally not required.

EYE PROTECTION: Safety glasses with side-shields.

HAND PROTECTION: Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Impervious gloves. Request information on glove permeation properties from the glove supplier. Lightweight protective clothing

OTHER PROTECTIVE EQUIPMENT: Ensure that eyewash stations and safety showers are close to the workstation location. **ENGINEERING CONTROLS:** Avoid contact with skin, eyes and clothing. Use only in an area equipped with explosion proof exhaust ventilation. Ensure adequate ventilation, especially in confined areas.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Viscous Liquid, Various Colors
Physical State	Liquid
Odor	Slight
Odor threshold	N/D
рН	N/D
Melting point / freezing point (°C)	N/D
Boiling point/range (°C)	149 F (65 C) - 595 F (313 C)

	Flash Point (°C)	330F (166C)
	Evaporation rate	Slower Than Ether
	Flammability (solid, gas)	Not determined
	Upper/lower flammability or explosive limits	0.5 - 36.0
	Vapour Pressure, mmHg	N/D
	Vapour density	Heavier than Air
	Relative density	Not determined
	Solubility in / Miscibility with water	N/D
	Partition coefficient: n-octanol/water	Not determined
	Auto-ignition temperature (°C)	Not determined
	Decomposition temperature (°C)	Not determined
	Viscosity	Unknown
	Explosive properties	Not determined
	Oxidising properties	Not determined
9.2	Other information VOC Content g/I:	0
	Specific Gravity (g/cm3)	арр. 1.04

10. Stability and Reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions Hazardous polymerisation does not occur.

10.4 Conditions to avoid Heat, flames and sparks.

10.5 Incompatible materials Strong oxidizing agents.

10.6 Hazardous decomposition products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

11. Toxicological Information

	······································		
11.1	•		
	Acute Toxicity:		
Oral LD50:		N/D	
	Inhalation LC50:	N/D	
	Irritation:	Unknown	
	Corrosivity:	Unknown	
	Sensitization:	Unknown	
	Repeated dose toxicity:	Unknown	
	Carcinogenicity:	Unknown	
	Mutagenicity:	Unknown	
Toxicity for reproduction:UnknownSTOT-single exposure:No Information		Unknown	
		No Information	
	STOT-repeated exposure:	No Information	
	Aspiration hazard:	No Information	

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Chemical Name	<u>Oral LD50</u>	Dermal LD50	Vapor LC50	<u>Gas LC50</u>	<u>Dust/Mist</u> LC50
13463-67-7	TITANIUM DIOXIDE	25000 mg/kg, oral (rat)	Not Available	Not Available	No Information	No Information
1333-86-4	CARBON BLACK	8000 mg/kg oral, rat	Not Available	Not Available		
2530-85-0	SILANE	Not Available		Not Available	0.000	0.000

Additional Information:

No Information

12. Ecological Information

12.1	Toxicity:	
	EC50 48hr (Daphnia):	Unknown
	IC50 72hr (Algae):	Unknown
	LC50 96hr (fish):	Unknown
12.2	Persistence and degradability:	Unknown
12.3	Bioaccumulative potential:	Unknown

2530-85-0

No information

No information

12.4 Mobility in soil: Unknown Results of PBT and vPvB 12.5 The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII. assessment: 12.6 Other adverse effects: Unknown IC50 72hr LC50 96hr CAS-No. **Chemical Name** EC50 48hr **TETRAHYDROXYPROPYLEHTYLENDIAMIN** 102-60-3 No information No information No information Е 13463-67-7 TITANIUM DIOXIDE No information No information No information CARBON BLACK 1333-86-4 No information No information No information

No information

13. Disposal Considerations

SILANE

13.1 WASTE TREATMENT METHODS: Do not burn, or use a cutting torch on, the empty drum. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14.	14. Transport Information			
14.1	UN number	None		
14.2	UN proper shipping name	Not Regulated		
	Technical name	N/A		
14.3	Transport hazard class(es)	None		
	Subsidiary shipping hazard	N/A		
14.4	Packing group	N/A		
14.5	Environmental hazards	Unknown		
14.6	Special precautions for user	Unknown		
	EmS-No.:	N/A		
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code	Unknown		

15. Regulatory Information

^{15.1} Safety, health and environmental regulations/legislation for the substance or mixture:

U.S. Federal Regulations: As follows -

CERCLA - Sara Hazard Category

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Serious eye damage or eye irritation

Sara Section 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

Chemical Name

<u>CAS-No.</u>

<u>%</u>

No SARA 313 substances exist in this product above de minimis concentrations.

Toxic Substances Control Act:

All components of this product are either listed on the TSCA Inventory or are exempt.

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

No TSCA 12(b) components exist in this product.

U.S. State Regulations: As follows -

New Jersey Right-to-Know:

The following materials are non-hazardous, but are among the top five components in this product.

Chemical Name	<u>CAS-No.</u>	
CASTOR OIL	8001-79-4	
POLYETHER POLYOL	25322-69-4	
ALUMINOSILICATE	1318-02-1	
Pennsylvania Right-To-Know		

· ······

The following non-hazardous ingredients are present in the product at greater than 3%.

<u>Chemical Name</u>	CAS-No.
CASTOR OIL	8001-79-4
POLYETHER POLYOL	25322-69-4
ALUMINOSILICATE	1318-02-1
CALIFORNIA PROPOSITION 65	

WARNING: Cancer and Reproductive Harm -- www.P65Warnings.ca.gov

International Regulations: As follows -

* Canadian DSL:

No Information

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

16. Other Information

Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Reasons for revision

No Information

The information contained herein is, to the best of our knowledge and belief accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.