

Safety Data Sheet

<sup>®</sup> Prepared in Accordance with HCS 29 C.F.R. 1910.1200

# 1. Identification of the Substance/Mixture and the Company/Undertaking

1.1	Product Identifier	8857A1NL	Revision Date:	08/15/2024
	Product Name:	REACTAMINE 760 PART A	Supercedes Date:	
1.2	Relevant identified uses of the substance or mixture and uses advised against	Component of multicomponent industrial coatings - Industrial use.		
1.3	Details of the supplier of the safety	data sheet		
	Manufacturer:Carboline Global Inc.2150 Schuetz RoadSt. Louis, MO USA 63146			
	Regulatory / Technical Information: Contact Carboline Technical Services at 1-800-848-4645			
	Datasheet Produced by:	Datasheet Produced by: Schlereth, Ken - regulatory@carboline.com		
1.4	Emergency telephone number: CHEMTREC 1-800-424-9300 (Inside US) CHEMTREC +1 703 5273887 (Outside US) HEALTH - Pittsburgh Poison Control 1-412-681-6669			

# 2. Hazard Identification

#### 2.1 Classification of the substance or mixture

Hazardous to the aquatic environment, Chronic, category 2 Skin Sensitizer, category 1  $% \left( 1-\frac{1}{2}\right) =0$ 

#### 2.2 Label elements

#### Symbol(s) of Product



Signal Word Warning

#### Named Chemicals on Label

N,N'-DIALKYLAMINODIPHENYLMETHA, DMTDA

#### HAZARD STATEMENTS

Skin Sensitizer, category 1 Hazardous to the aquatic environment, Chronic, category 2 PRECAUTION PHRASES	H317 H411	May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.
	P261 P273 P280	Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/ face protection.
	P302+352 P333+313 P391 P501	IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Collect spillage. Dispose of contents/container to waste treatment/disposal facility in accordance with local, state, and federal regulations.

## 2.3 Other hazards

No Information

#### Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

## 3. Composition/Information On Ingredients

#### 3.2 **Mixtures**

#### Hazardous ingredients

nazaruous ingredients					
Name According to EEC	EINEC No.	CAS-No.	<u>%</u>	<b>Classifications</b>	
TITANIUM DIOXIDE	236-675-5	13463-67-7	2.5 - <10		
DMTDA	403-240-8	106264-79-3	2.5 - <10	H302-317-400-410	Acute Tox. 4 Oral, Aquatic Acute 1, Aquatic Chronic 1, Skin Sens. 1
CARBON BLACK	215-609-9	1333-86-4	2.5 - <10		
N,N'- DIALKYLAMINODIPHE NYLMETHA	226-122-6	5285-60-9	1.0 - <2.5	H302-317-373-410	Acute Tox. 4 Oral, Aquatic Chronic 1, Skin Sens. 1, STOT RE 2
DIETHYLMETHYLBEN ZENEDIAMINE	270-877-4	68479-98-1	1.0 - <2.5	H302-312-319-373-400-410	Acute Tox. 4 Dermal, Acute Tox. 4 Oral, Aquatic Acute 1, Aquatic Chronic 1, Eye Irrit. 2, STOT RE 2

CAS-No.

#### **M-Factors**

13463-67-7 106264-79-3 1333-86-4 5285-60-9 68479-98-1

CAS No 13463-67-7: Note 10 **Remarks:** 

Additional Information: The text for GHS Hazard Statements shown above (if any) is given in Section 16.

## 4. First-aid Measures

#### 4.1 **Description of First Aid Measures**

AFTER INHALATION: Give oxygen or artificial respiration if needed. Remove person to fresh air. If signs/symptoms

#### continue, get medical attention.

**AFTER SKIN CONTACT:** In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If skin irritation persists, call a physician.

AFTER EYE CONTACT: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

AFTER INGESTION: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If swallowed, call a poison control centre or doctor immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritating to eyes and skin. May be harmful if swallowed.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

When symptoms persist or in all cases of doubt seek medical advice.

#### 5. Fire-fighting Measures

#### 5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam, Water Fog

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Vapors may spread long distances and ignite.

FOR SAFETY REASONS NOT TO BE USED: Do not use a solid water stream as it may scatter and spread fire.

# 5.2 Special hazards arising from the substance or mixture No Information

#### 5.3 Advice for firefighters

SPECIAL FIREFIGHTING PROCEDURES: In the event of fire, wear self-contained breathing apparatus. Evacuate personnel to safe areas. Use NIOSH approved respiratory protection. Use water spray to cool unopened containers.

SPECIAL FIREFIGHTING PROTECTION EQUIPMENT: No Information

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Evacuate personnel to safe areas. Remove all sources of ignition. To avoid ignition of vapours by static electricity discharge, all metal parts of the equipment must be grounded. Wear personal protective equipment. For personal protection see section 8.

#### 6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains.

#### 6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

#### 6.4 Reference to other sections

No Information

#### 7. Handling and Storage

#### 7.1 Precautions for safe handling

**INSTRUCTIONS FOR SAFE HANDLING :** Keep containers dry and tightly closed to avoid moisture absorption and contamination. Prepare the working solution as given on the label(s) and/or the user instructions. Ensure all equipment is electrically grounded before beginning transfer operations. Do not get in eyes, on skin, or on clothing. Use only with adequate ventilation/personal protection. Avoid breathing vapors, mist or gas. Wash thoroughly after handling. **PROTECTION AND HYGIENE MEASURES :** Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

**CONDITIONS TO AVOID:** Heat, flames and sparks. **STORAGE CONDITIONS:** Keep container closed when not in use. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

#### 7.3 Specific end use(s)

The mixing and application to be in accordance with the technical data sheets.

#### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

Ingredients with Occupational Exposure Limits (US)

Name	CAS-No.	ACGIH TWA	ACGIH STEL	ACGIH Ceiling
TITANIUM DIOXIDE	13463-67-7	10 mg/m3	N/E	N/E
DMTDA	106264-79-3	N/E	N/E	N/E
CARBON BLACK	1333-86-4	3 MGM3	N/E	N/E
N,N'-DIALKYLAMINODIPHENYLMETHA	5285-60-9	N/E	N/E	N/E
DIETHYLMETHYLBENZENEDIAMINE	68479-98-1	N/E	N/E	N/E
Name	CAS-No.	<u>OSHA PE</u>	L OSHA ST	<u>rel</u>
TITANIUM DIOXIDE	13463-67-7	15 MGM3	N/E	
DMTDA	106264-79-3	N/E	N/E	
CARBON BLACK	1333-86-4	3.5 MGM3	N/E	
N,N'-DIALKYLAMINODIPHENYLMETHA	5285-60-9	N/E	N/E	
DIETHYLMETHYLBENZENEDIAMINE	68479-98-1	N/E	N/E	

**FURTHER ADVICE:** Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

#### 8.2 Exposure controls

#### Personal Protection

**RESPIRATORY PROTECTION:** In order to avoid inhalation of spray-mist and sanding dust, all spraying and sanding must be done wearing adequate respirator. Use only with ventilation to keep levels below exposure guidelines reported in this document. User should test and monitor exposure levels to ensure all personnel are below guidelines. If not sure, or not able to monitor, use State or federally approved supplied air respirator. For silica containing coatings in a liquid state, and/or if no exposure limits are established above, air-supplied respirators are generally not required.

**EYE PROTECTION:** Safety glasses with side-shields.

**HAND PROTECTION:** Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Impervious gloves. Request information on glove permeation properties from the glove supplier.

**OTHER PROTECTIVE EQUIPMENT:** Ensure that eyewash stations and safety showers are close to the workstation location. **ENGINEERING CONTROLS:** Avoid contact with skin, eyes and clothing. Use only in an area equipped with explosion proof exhaust ventilation. Ensure adequate ventilation, especially in confined areas.

### 9. Physical and Chemical Properties

9.1	<ul> <li>Information on basic physical and chemical properties</li> <li>Appearance:</li> <li>Viscous Liquid, Various Colors</li> </ul>		
	Physical State	Liquid	
	Odor	Slight	
	Odor threshold	N/D	

	рН	N/D
	Melting point / freezing point (°C)	N/D
	Boiling point/range (°C)	365 F (185 C) - 595 F (313 C)
	Flash Point (°C)	>300F ( >148C)
	Evaporation rate	Slower Than Ether
	Flammability (solid, gas)	Not determined
	Upper/lower flammability or explosive limits	N/A - N/A
	Vapour Pressure, mmHg	N/D
	Vapour density	Heavier than Air
	Relative density	Not determined
	Solubility in / Miscibility with water	N/D
	Partition coefficient: n-octanol/water	Not determined
	Auto-ignition temperature (°C)	Not determined
	Decomposition temperature (°C)	Not determined
	Viscosity	Unknown
	Explosive properties	Not determined
	Oxidising properties	Not determined
9.2	Other information	
	VOC Content g/I:	0
	Specific Gravity (g/cm3)	арр. 1.03

# 10. Stability and Reactivity

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### **10.2 Chemical stability** Stable under normal conditions.

#### **10.3 Possibility of hazardous reactions** Hazardous polymerisation does not occur.

# 10.4 Conditions to avoid

Heat, flames and sparks.

#### **10.5 Incompatible materials** Strong oxidizing agents.

ig oxidizing agents

## 10.6 Hazardous decomposition products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

# 11. Toxicological Information

11.1	Information on toxicological eff	ects		
	Acute Toxicity:			
	Oral LD50:	N/D		
	Inhalation LC50:	N/D		
	Irritation:	Unknown		
	Corrosivity:	Unknown		
	Sensitization:	Skin Sensitizer Category 1		
	Repeated dose toxicity:	Unknown		
	Carcinogenicity:	Unknown		
	Mutagenicity:	Unknown		
	Toxicity for reproduction:	Unknown		
	STOT-single exposure:	Unknown		
	STOT-repeated exposure:	Unknown		
	Aspiration hazard:	Unknown		

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

<u>CAS-No.</u>	Chemical Name	Oral LD50	Dermal LD50	Vapor LC50	<u>Gas LC50</u>	<u>Dust/Mist</u> LC50
13463-67-7	TITANIUM DIOXIDE	25000 mg/kg, oral (rat)	No Information	No Information	No Information	No Information
106264-79-3	DMTDA	1515 mg/kg (rat)	>2000 mg/kg (rabbit)	Not Available	0.000	0.000
1333-86-4	CARBON BLACK	8000 mg/kg oral, rat	No Information	No Information	No Information	No Information
5285-60-9	N,N'- DIALKYLAMINODIPHENYLME THA	500 mg/kg,	3090 mg/kg, dermal, rabbit	>20 mg/l, rat	0.000	0.000
68479-98-1	DIETHYLMETHYLBENZENEDI AMINE	738 mg/kg (rat)	1001 mg/kg (rabbit)	Not Available	0.000	0.000

#### Additional Information:

No Information

#### 12. Ecological Information 12.1 Toxicity: EC50 48hr (Daphnia): Unknown Unknown IC50 72hr (Algae): Unknown LC50 96hr (fish): 12.2 Persistence and degradability: Unknown Unknown 12.3 Bioaccumulative potential: 12.4 Mobility in soil: Unknown 12.5 Results of PBT and vPvB The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII. assessment: 12.6 Other adverse effects: Unknown CAS-No. **Chemical Name** EC50 48hr IC50 72hr LC50 96hr No information 13463-67-7 TITANIUM DIOXIDE No information No information No information No information 106264-79-3 DMTDA No information 1333-86-4 CARBON BLACK No information No information No information No information No information 5285-60-9 N,N'-DIALKYLAMINODIPHENYLMETHA >0.61 mg/L, Fish 0.5 mg/l (Daphnia 68479-98-1 DIETHYLMETHYLBENZENEDIAMINE No information No information Magna)

### 13. Disposal Considerations

**13.1** WASTE TREATMENT METHODS: Do not burn, or use a cutting torch on, the empty drum. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### 14. Transport Information

14.1	UN number	None
14.2	UN proper shipping name	Not Regulated
	Technical name	N/A
14.3	Transport hazard class(es)	None
	Subsidiary shipping hazard	N/A
14.4	Packing group	N/A
14.5	Environmental hazards	Unknown
14.6	Special precautions for user	Unknown
	EmS-No.:	N/A
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code	Unknown

### **15. Regulatory Information**

<sup>15.1</sup> Safety, health and environmental regulations/legislation for the substance or mixture:

#### U.S. Federal Regulations: As follows -

#### CERCLA - Sara Hazard Category

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

#### Respiratory or Skin Sensitization

#### Sara Section 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

Chemical Name	CAS-No.	<u>%</u>
BARIUM SULFATE	7727-43-7	0.1

#### **Toxic Substances Control Act:**

All components of this product are either listed on the TSCA Inventory or are exempt.

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

No TSCA 12(b) components exist in this product.

#### U.S. State Regulations: As follows -

#### New Jersey Right-to-Know:

The following materials are non-hazardous, but are among the top five components in this product.

<u>Chemical Name</u>	<u>CAS-No.</u>		
CASTOR OIL	8001-79-4		
IRON OXIDE	1309-37-1		
ALUMINOSILICATE	1318-02-1		
Pennsylvania Right-To-Know			

The following non-hazardous ingredients are present in the product at greater than 3%.

Chemical Name	<u>CAS-No.</u>
CASTOR OIL	8001-79-4
IRON OXIDE	1309-37-1
ALUMINOSILICATE	1318-02-1
CALIFORNIA PROPOSITION 65	

WARNING: Cancer and Reproductive Harm -- www.P65Warnings.ca.gov

#### International Regulations: As follows -

#### \* Canadian DSL:

All chemical ingredients included on inventory (DSL)

#### 15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

### 16. Other Information

Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### **Reasons for revision**

No Information

The information contained herein is, to the best of our knowledge and belief accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.