

# Safety Data Sheet prepared to UN GHS Revision 3

# 1. Identification of the Substance/Mixture and the Company/Undertaking

1.1 Product Identifier 0145S1NL

Product Name: PYROCRETE 239 Revision Date: 05/25/2017

Supercedes Date: 06/01/2015

1.2 Relevant identified uses of the substance or mixture and uses

advised against

## 1.3 Details of the supplier of the safety data sheet

Manufacturer: Carboline Company

2150 Schuetz Road St. Louis, MO USA 63146

**Fireproofing Material** 

Regulatory / Technical Information: Contact Carboline Technical Services at

1-800-848-4645

Datasheet Produced by: Schlereth, Ken - ehs@stoncor.com

1.4 Emergency telephone number: CHEMTREC 1-800-424-9300 (Inside US) CHEMTREC +1 703 5273887 (Outside US)

HEALTH - Pittsburgh Poison Control 1-412-681-6669

## 2. Hazard Identification

## 2.1 Classification of the substance or mixture

Carcinogenicity, category 1A Skin Corrosion, category 1 Skin Sensitizer, category 1

## 2.2 Label elements

## Symbol(s) of Product



## Signal Word

danger

## Named Chemicals on Label

MICROCRYSTALLINE SILICA, PORTLAND CEMENT

#### **HAZARD STATEMENTS**

Skin Corrosion, category 1 Skin Sensitizer, category 1 Carcinogenicity, category 1A PRECAUTION PHRASES	H314-1 H317 H350-1A	Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer.
	P201	Obtain special instructions before use.
	P202	Do not handle until all safety precautions have been read and understood.
	P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	P264	Wash hands thoroughly after handling.
	P280	Wear protective gloves/protective clothing/eye protection/ face protection.
	P284	Wear respiratory protection.
	P302+352	IF ON SKIN: Wash with plenty of soap and water.
	P303+361+353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P308+313	IF exposed or concerned: Get medical advice/attention

If skin irritation or rash occurs: Get medical advice/attention.

## 2.3 Other hazards

No Information

#### Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

P333+313

## 3. Composition/Information On Ingredients

#### 3.2 Mixtures

## **Hazardous Ingredients**

CAS-No.	<u>Chemical Name</u>	<u>%</u>
65997-15-1	PORTLAND CEMENT	25-50
12001-26-2	MICA	2.5-10
1317-65-3	LIMESTONE	2.5-10
1305-78-8	CALCIUM OXIDE	2.5-10
65997-17-3	GLASS OXIDE	1.0-2.5
14808-60-7	MICROCRYSTALLINE SILICA	0.1-1.0

<u>CAS-No.</u>	<u>GHS Symbols</u>	GHS Hazard Statements	<u>M-Factors</u>
65997-15-1	GHS05-GHS07	H315-317-318	0
12001-26-2	GHS07	H319-335	0
1305-78-8	GHS05-GHS07	H315-318-335	0
1317-65-3	GHS07	H315-319	0
65997-17-3	GHS08	H351	0
14808-60-7	GHS08	H350-372	0

Additional Information: The text for GHS Hazard Statements shown above (if any) is given in Section 16.

## 4. First-aid Measures

## 4.1 Description of First Aid Measures

AFTER INHALATION: Remove person to fresh air. If signs/symptoms continue, get medical attention.

AFTER SKIN CONTACT: Wash off with soap and plenty of water.

AFTER EYE CONTACT: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**AFTER INGESTION:** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If swallowed, call a poison control centre or doctor immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

Irritating to respiratory system. This product contains silica which is classified by IARC as a known human carcinogen (Group 1). Crystalline silica is known to cause silicosis.

## 4.3 Indication of any immediate medical attention and special treatment needed

No Information

## 5. Fire-fighting Measures

## 5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam, Water Fog

UNUSUAL FIRE AND EXPLOSION HAZARDS: No Information

## 5.2 Special hazards arising from the substance or mixture

No Information

## 5.3 Advice for firefighters

The product is not flammable.

## 6. Accidental Release Measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Sweep up to prevent slipping hazard. Forms slippery/greasy layers with water.

## 6.2 Environmental precautions

No Information

## 6.3 Methods and material for containment and cleaning up

No Information

#### 6.4 Reference to other sections

No Information

# 7. Handling and Storage

## 7.1 Precautions for safe handling

**INSTRUCTIONS FOR SAFE HANDLING:** Avoid breathing dust. Do not breathe vapours or spray mist. Wash thoroughly after handling. Do not get in eyes, on skin, or on clothing.

**PROTECTION AND HYGIENE MEASURES:** Handle in accordance with good industrial hygiene and safety practice. Do not breathe dust. Wash hands before eating, drinking, or smoking.

## 7.2 Conditions for safe storage, including any incompatibilities

**CONDITIONS TO AVOID:** Exposure to moisture.

STORAGE CONDITIONS: Keep containers tightly closed in a dry, cool and well-ventilated place.

#### 7.3 Specific end use(s)

No Information

# 8. Exposure Controls/Personal Protection

## 8.1 Control parameters

# Ingredients with Occupational Exposure Limits

(US)

Name	<u>%</u>	ACGIH TLV- TWA	ACGIH TLV- STEL	<u>OSHA PEL-</u> TWA	OSHA PEL- CEILING	OEL Note
PORTLAND CEMENT	25-50	10 MG/M3	N/E	5 MG/M3	N/E	
MICA	2.5-10	3 MGM3	N/E	3 MGM3	N/E	
LIMESTONE	2.5-10	N/E	N/E	5 MGM3	N/E	
CALCIUM OXIDE	2.5-10	2 MGM3	N/E	5 MGM3	N/E	

GLASS OXIDE 1.0-2.5 1 FIBERS/CM3N/E N/E N/E MICROCRYSTALLINE SILICA 0.1-1.0 0.025 mg/m3 N/E (respirable) 0.05 mg/m3 (respirable)

**FURTHER INFORMATION:** No Information

## 8.2 Exposure controls

**Personal Protection** 

RESPIRATORY PROTECTION: Effective dust mask. Use NIOSH approved respiratory protection.

EYE PROTECTION: Safety glasses with side-shields.

**HAND PROTECTION:** For prolonged or repeated contact use protective gloves.

OTHER PROTECTIVE EQUIPMENT: Ensure that eyewash stations and safety showers are close to the workstation location.

N/A - N/A

ENGINEERING CONTROLS: Avoid dust accumulation in enclosed space.

## 9. Physical and Chemical Properties

## 9.1 Information on basic physical and chemical properties

Appearance: Grey Speckled Powder

Physical StateSolidOdorDustyOdor thresholdN/DpHN/D

Melting point / freezing point (°C) N/A

Boiling point/range (°C) N/A - N/A

Flash Point, (°C) 999
Evaporation rate N/A

Flammability (solid, gas) Not determined

Upper/lower flammability or explosive

limits

Vapour Pressure, mmHg N/A

Vapour density Heavier than Air
Relative density Not determined

Solubility in / Miscibility with water N/D

Partition coefficient: n-octanol/water

Auto-ignition temperature (°C)

Not determined

Decomposition temperature (°C)

Not determined

**Viscosity** Unknown

Explosive properties Not determined

Oxidising properties Not determined

9.2 Other information

VOC Content g/l: 0

Specific Gravity (g/cm3) 28 Lbs / Cubic Ft

# 10. Stability and Reactivity

## 10.1 Reactivity

No Information

## 10.2 Chemical stability

Stable under normal conditions.

## 10.3 Possibility of hazardous reactions

Hazardous polymerisation does not occur.

## 10.4 Conditions to avoid

Exposure to moisture.

## 10.5 Incompatible materials

Strong oxidizing agents.

## 10.6 Hazardous decomposition products

None known.

# 11. Toxicological Information

## 11.1 Information on toxicological effects

**Acute Toxicity:** 

Oral LD50: N/D Inhalation LC50: N/D

Irritation: Unknown

Corrosivity: Unknown

Sensitization: Unknown

Repeated dose toxicity: Unknown

Carcinogenicity: Unknown

Mutagenicity: Unknown

Toxicity for reproduction: Unknown

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Vapor LC50
65997-15-1	PORTLAND CEMENT	Not Available		Not Available
12001-26-2	MICA	Not Available		Not Available
1305-78-8	CALCIUM OXIDE	Not Available		Not Available
1317-65-3	LIMESTONE	6450 mg/kg, oral, rat	Not Available	Not Available
65997-17-3	GLASS OXIDE	Not Available	Not Available	Not Available
14808-60-7	MICROCRYSTALLINE SILICA	22500 mg/kg	Not Available	Not Available

#### Additional Information:

The classification(s) is/are relevant when exposed to these respirable substances in dust or powder form only, including cured product that is subject to sanding, grinding, cutting, or other surface preparation activities.

# 12. Ecological Information

12.1 Toxicity:

EC50 48hr (Daphnia):

IC50 72hr (Algae):

Unknown

Unknown

Unknown

Unknown

12.2 Persistence and degradability: Unknown

12.3 Bioaccumulative potential: Unknown

**12.4 Mobility in soil:** Unknown

12.5 Results of PBT and vPvB The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

assessment:

12.6 Other adverse effects: Unknown

CAS-No.	Chemical Name	EC50 48hr	IC50 72hr	LC50 96hr
65997-15-1	PORTLAND CEMENT	No information	No information	No information
12001-26-2	MICA	No information	No information	No information
1317-65-3	LIMESTONE	No information	No information	No information
1305-78-8	CALCIUM OXIDE	No information	No information	No information
65997-17-3	GLASS OXIDE	No information	No information	No information
14808-60-7	MICROCRYSTALLINE SILICA	No information	No information	No information

## 13. Disposal Considerations

13.1 WASTE TREATMENT METHODS: Dispose of in accordance with local regulations.

## 14. Transport Information

14.1 UN number None

14.2 UN proper shipping name Not Regulated

Technical name N/A

14.3 Transport hazard class(es) None
Subsidiary shipping hazard N/A

14.4 Packing group N/A

14.5 Environmental hazards No

14.6 Special precautions for user Unknown

EmS-No.: None

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code

Unknown

## 15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation for the substance or mixture:

## U.S. Federal Regulations: As follows -

## **CERCLA - Sara Hazard Category**

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Chronic Health Hazard

## Sara Section 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

No Sara 313 components exist in this product.

#### **Toxic Substances Control Act:**

All components of this product are either listed on the TSCA Inventory or are exempt.

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

No TSCA 12(b) components exist in this product.

## U.S. State Regulations: As follows -

## New Jersey Right-to-Know:

The following materials are non-hazardous, but are among the top five components in this product.

<u>Chemical Name</u>	<u>CAS-No.</u>
VERMICULITE	1318-00-9
VERMICULITE	1318-00-9
CALCIUM SULFATE	13397-24-5

## Pennsylvania Right-To-Know

The following non-hazardous ingredients are present in the product at greater than 3%.

Chemical Name	<u>CAS-No.</u>
VERMICULITE	1318-00-9
VERMICULITE	1318-00-9
CALCIUM SULFATE	13397-24-5
ALUMINUM HYDROXIDE	21645-51-2

# California Proposition 65:

Warning: The following ingredients present in the product are known to the state of California to cause Cancer:

Chemical NameCAS-No.MICROCRYSTALLINE SILICA14808-60-7

Warning: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards.

No Proposition 65 Reproductive Toxins exist in this product.

## International Regulations: As follows -

## \* Canadian DSL:

No Information

#### 15.2 **Chemical Safety Assessment:**

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

# 16. Other Information

## Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H350	May cause cancer.
H351	Suspected of causing cancer

H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

#### Reasons for revision

No Information

The information contained herein is, to the best of our knowledge and belief accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.