

Safety Data Sheet

[®] Prepared in Accordance with HCS 29 C.F.R. 1910.1200

1. Identification of the Substance/Mixture and the Company/Undertaking

| 1.1 | Product Identifier | 8707B1NL | Revision Date: | 06/02/2023 |
|-----|---|---|------------------|------------|
| | Product Name: | CARBOZINC 8701 PART B | Supercedes Date: | 12/06/2022 |
| 1.2 | Relevant identified uses of the substance or mixture and uses advised against | Component of multicomponent industrial coatings - Industrial use. | | |
| 1.3 | Details of the supplier of the safety | data sheet | | |
| | Manufacturer: | Carboline Global Inc. 2150 Schuetz Road St. Louis, MO USA 63146 Regulatory / Technical Information: Contact Carboline Technical Services at 1-800-848-4645 | | |
| | Datasheet Produced by: | Beebe, Hayli - regulatory@carboline.com | | |
| 1.4 | Emergency telephone number: | CHEMTREC 1-800-424-9300 (Inside US) CHEMTREC +1 703 5273887 (Outside US) HEALTH - Pittsburgh Poison Control 1-412-68 | 1-6669 | |

2. Hazard Identification

2.1 Classification of the substance or mixture

Acute Toxicity, Inhalation, category 4 Hazardous to the aquatic environment, Chronic, category 2 Aspiration Hazard, category 1 Carcinogenicity, category 1A Flammable Liquid, category 2 Reproductive Toxicity, category 1A STOT, repeated exposure, category 2 STOT, single exposure, category 3, NE STOT, single exposure, category 3, RTI Skin Corrosion, category 1 Skin Sensitizer, category 1

2.2 Label elements

Symbol(s) of Product



Signal Word

Danger

Named Chemicals on Label

ETHYL BENZENE, BENZYL ALCOHOL, TOLUENE, 1,2-CYCLOHEXANEDIAMINE, POLYOXYPROPYLENEDIAMINE, AROMATIC HYDROCARBON

HAZARD STATEMENTS

| Flammable Liquid, category 2 Aspiration Hazard, category 1 Skin Corrosion, category 1 Skin Sensitizer, category 1 Acute Toxicity, Inhalation, category 4 STOT, single exposure, category 3, RTI STOT, single exposure, category 3, NE Carcinogenicity, category 1A Reproductive Toxicity, category 1A | H225 H304 H314-1 H317 H332 H335 H336 H350-1A H360-1A H373 | Highly flammable liquid and vapour. May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Harmful if inhaled. May cause respiratory irritation. May cause drowsiness or dizziness. May cause cancer. May damage fertility or the unborn child. May cause damage to organs through prolonged or repeated |
|---|--|--|
| STOT, repeated exposure, category 2 Hazardous to the aquatic environment, Chronic, category 2 | H411 | exposure. Toxic to aquatic life with long lasting effects. |
| PRECAUTION PHRASES | | |
| | P201 P202 | Obtain special instructions before use. Do not handle until all safety precautions have been read |
| | P210 | and understood. Keep away from heat/sparks/open flames/hot surfaces No smoking. |
| | P235 | Keep cool. |
| | P260 | Do not breathe dust/fume/gas/mist/vapours/spray. |
| | P264 | Wash hands thoroughly after handling. |
| | P273 | Avoid release to the environment. |
| | P280 | Wear protective gloves/protective clothing/eye protection/ face protection. |
| | P284 | Wear respiratory protection. |
| | P301+310 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. |
| | P301+330+331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. |
| | P302+352 | IF ON SKIN: Wash with plenty of soap and water. |
| | P304+340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| | P305+351+338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. |
| | P308+313 | IF exposed or concerned: Get medical advice/attention |
| | P308+P313 | IF exposed or concerned: Get medical advice/attention |
| | P314 | Get medical advice/attention if you feel unwell. |
| | P331 | Do NOT induce vomiting. |
| | P333+313 | If skin irritation or rash occurs: Get medical advice/attention. |
| | P363 | Wash contaminated clothing before reuse. |
| | | |

| P391 P403+233 | Collect spillage. Store in a well-ventilated place. Keep container tightly closed. |
|------------------|---|
| | |

ADDITIONAL INFORMATION

Note_P 64742-95-6 Note P : The classification as a carcinogen or mutagen need not apply; the substance, CAS 64742-95-6, contains less than 0,1 % w/w benzene

2.3 Other hazards

No Information

Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

3. Composition/Information On Ingredients

3.2 Mixtures

Hazardous ingredients

| Name According to EEC AROMATIC HYDROCARBON | <u>EINEC No.</u> 265-199-0 | <u>CAS-No.</u> 64742-95-6 | <u>%</u> 25 - <50 | Classifications H226-304-315-319-331-335-336 -351-411 | Acute Tox. 3 Inhalation, Aquatic Chronic 2, Asp. Tox. 1, Carc. 2, Eye Irrit. 2, Flam. Liq. 3, Skin Irrit. 2, STOT SE 3 NE, STOT SE 3 RTI |
|--|-------------------------------|------------------------------|----------------------|---|--|
| TOLUENE | 203-625-9 | 108-88-3 | 10 - <25 | H225-304-315-319-332-335-336 -361-370-412 | Acute Tox. 4 Inhalation, Aquatic Chronic 3, Asp. Tox. 1, Eye Irrit. 2, Flam. Liq. 2, Repr. 2, Skin Irrit. 2, STOT SE 1, STOT SE 3 NE, STOT SE 3 RTI |
| POLYSTYRENE | 500-008-9 | 9003-53-6 | 2.5 - <10 | H360 | |
| BENZYL ALCOHOL | 202-859-9 | 100-51-6 | 2.5 - <10 | H302-312-319-332 | Acute Tox. 4 Dermal, Acute Tox. 4 Inhalation, Acute Tox. 4 Oral, Eye Irrit. 2 |
| POLYOXYPROPYLEN EDIAMINE | 618-561-0 | 9046-10-0 | 2.5 - <10 | H302-314-411 | Acute Tox. 4 Oral, Aquatic Chronic 2, Skin Corr. 1 |
| 1,2- CYCLOHEXANEDIAMI NE | 211-776-7 | 694-83-7 | 2.5 - <10 | H302-312-314-317 | Acute Tox. 4 Dermal, Acute Tox. 4 Oral, Skin Corr. 1, Skin Sens. 1 |
| TRIS-2,4,6- (DIMETHYLAMINOMET HYL)PHENOL | 202-013-9 | 90-72-2 | 2.5 - <10 | H302-315-319 | Acute Tox. 4 Oral, Eye Irrit. 2, Skin Irrit. 2 |
| ETHYL BENZENE | 202-849-4 | 100-41-4 | 0.1 - <1.0 | H225-304-315-319-332-351-373 -412 | Acute Tox. 4 Inhalation, Aquatic Chronic 3, Asp. Tox. 1, Carc. 2, Eye Irrit. 2, Flam. Liq. 2, Skin Irrit. 2, STOT RE 2 |
| CUMENE | 202-704-5 | 98-82-8 | 0.1 - <1.0 | H226-304-335-350-411 | Aquatic Chronic 2, Asp. Tox. 1, Carc. 1A, Flam. Liq. 3, STOT SE 3 RTI |

| CAS-No. | M-Factors |
|------------|-----------|
| 64742-95-6 | 0 |
| 108-88-3 | 0 |
| 9003-53-6 | 0 |
| 100-51-6 | 0 |

| 694-83-7090-72-20100-41-4098-82-80 |
|------------------------------------|
|------------------------------------|

Additional Information: The text for GHS Hazard Statements shown above (if any) is given in Section 16.

4. First-aid Measures

4.1 Description of First Aid Measures

AFTER INHALATION: Give oxygen or artificial respiration if needed. Remove person to fresh air. If signs/symptoms continue, get medical attention.

AFTER SKIN CONTACT: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If skin irritation persists, call a physician.

AFTER EYE CONTACT: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. AFTER INGESTION: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If swallowed, call a poison control centre or doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Harmful if swallowed. May cause sensitization by skin contact. Irritating to eyes and skin. Risk of serious damage to the lungs (by aspiration). Vapours may cause drowsiness and dizziness.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

When symptoms persist or in all cases of doubt seek medical advice.

5. Fire-fighting Measures

5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam, Water Fog

UNUSUAL FIRE AND EXPLOSION HAZARDS: Flammable liquid. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air. Vapors may travel to areas away from work site before igniting/flashing back to vapor source. Provide adequate ventilation. Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Electrical installations / working materials must comply with the technological safety standards. Wear shoes with conductive soles.

FOR SAFETY REASONS NOT TO BE USED: Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

No Information

5.3 Advice for firefighters

SPECIAL FIREFIGHTING PROCEDURES: In the event of fire, wear self-contained breathing apparatus. Cool containers / tanks with water spray. Flammable. Evacuate personnel to safe areas. Use NIOSH approved respiratory protection. Use water spray to cool unopened containers.

SPECIAL FIREFIGHTING PROTECTION EQUIPMENT: No Information

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Evacuate personnel to safe areas. Remove all sources of ignition. To avoid ignition of vapours by static electricity discharge, all metal parts of the equipment must be grounded. Wear personal protective equipment. For

personal protection see section 8.

6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains.

6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

No Information

7. Handling and Storage

7.1 Precautions for safe handling

INSTRUCTIONS FOR SAFE HANDLING : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Prepare the working solution as given on the label(s) and/or the user instructions. Do not breathe vapours or spray mist. Ensure all equipment is electrically grounded before beginning transfer operations. Do not use sparking tools. Do not get in eyes, on skin, or on clothing. Use only with adequate ventilation/personal protection. Wash thoroughly after handling.

PROTECTION AND HYGIENE MEASURES : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Heat, flames and sparks.

STORAGE CONDITIONS: Keep container closed when not in use. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

7.3 Specific end use(s)

The mixing and application to be in accordance with the technical data sheets.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits

(US)

| Name | CAS-No. | ACGIH TWA | ACGIH STEL | ACGIH Ceiling |
|---|------------|----------------|---------------|---------------|
| AROMATIC HYDROCARBON | 64742-95-6 | 300.0 PPM | N/E | N/E |
| TOLUENE | 108-88-3 | 20 PPM | N/E | N/E |
| POLYSTYRENE | 9003-53-6 | N/E | N/E | N/E |
| BENZYL ALCOHOL | 100-51-6 | N/E | N/E | N/E |
| POLYOXYPROPYLENEDIAMINE | 9046-10-0 | N/E | N/E | N/E |
| 1,2-CYCLOHEXANEDIAMINE | 694-83-7 | N/E | N/E | N/E |
| TRIS-2,4,6- (DIMETHYLAMINOMETHYL) PHENOL | 90-72-2 | N/E | N/E | N/E |
| ETHYL BENZENE | 100-41-4 | 20 PPM | 125 ppm | |
| CUMENE | 98-82-8 | 50 PPM | N/E | N/E |
| Name | CAS-No. | <u>OSHA PE</u> | <u>osha s</u> | TEL |
| AROMATIC HYDROCARBON | 64742-95-6 | 500.0 PPM | N/E | |

Date Printed: 06/07/2023

| TOLUENE | 108-88-3 | 200 ppm | 560 MGM3, 150 PPM |
|---|-----------|-----------------|---------------------------------|
| POLYSTYRENE | 9003-53-6 | N/E | N/E |
| BENZYL ALCOHOL | 100-51-6 | N/E | N/E |
| POLYOXYPROPYLENEDIAMINE | 9046-10-0 | N/E | N/E |
| 1,2-CYCLOHEXANEDIAMINE | 694-83-7 | N/E | N/E |
| TRIS-2,4,6- (DIMETHYLAMINOMETHYL) PHENOL | 90-72-2 | N/E | N/E |
| ETHYL BENZENE | 100-41-4 | 435 MGM3, 100 F | P 5/4 5 MGM3, 125 PPM |
| CUMENE | 98-82-8 | 245 MGM3, 50 PF | PM N/E |

FURTHER ADVICE: Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

8.2 Exposure controls

Personal Protection

RESPIRATORY PROTECTION: In order to avoid inhalation of spray-mist and sanding dust, all spraying and sanding must be done wearing adequate respirator. Use only with ventilation to keep levels below exposure guidelines reported in this document. User should test and monitor exposure levels to ensure all personnel are below guidelines. If not sure, or not able to monitor, use State or federally approved supplied air respirator. For silica containing coatings in a liquid state, and/or if no exposure limits are established above, air-supplied respirators are generally not required.

EYE PROTECTION: Safety glasses with side-shields.

HAND PROTECTION: Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Impervious gloves. Request information on glove permeation properties from the glove supplier. Lightweight protective clothing

OTHER PROTECTIVE EQUIPMENT: Ensure that eyewash stations and safety showers are close to the workstation location. **ENGINEERING CONTROLS:** Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

| Appearance: | Clear To Slightly Amber Liquid |
|-------------------------------------|--------------------------------|
| Physical State | Liquid |
| Odor | Solvent |
| Odor threshold | N/D |
| рН | N/D |
| Melting point / freezing point (°C) | N/D |
| Boiling point/range (°C) | 176 F (80 C) - 500 F (260 C) |
| Flash Point (°C) | 69F (20C) |
| Evaporation rate | Slower Than Ether |
| Flammability (solid, gas) | Not determined |
| | |

Upper/lower flammability or explosive

0.9 - 13.0

| | | 0.9 - 10.0 |
|---|--|------------------|
| | limits | |
| | Vapour Pressure, mmHg | N/D |
| | Vapour density | Heavier than Air |
| | Relative density | Not determined |
| | Solubility in / Miscibility with water | N/D |
| | Partition coefficient: n-octanol/water | Not determined |
| | Auto-ignition temperature (°C) | Not determined |
| | Decomposition temperature (°C) | Not determined |
| | Viscosity | Unknown |
| | Explosive properties | Not determined |
| | Oxidising properties | Not determined |
| • | Other information | |
| | VOC Content g/l: | 334 |
| | Specific Gravity (g/cm3) | 0.92 |
| | | |

10. Stability and Reactivity

10.1 Reactivity

9.2

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions Hazardous polymerisation does not occur.

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Strong oxidizing agents.

10.6 Hazardous decomposition products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

Product: 8707B1NL

11. Toxicological Information

| 11.1 | Information on toxicological effects | | |
|------|--------------------------------------|---|--|
| | Acute Toxicity: | | |
| | Oral LD50: | N/D | |
| | Inhalation LC50: | N/D | |
| | Irritation: | Unknown | |
| | Corrosivity: | Skin Corrosion, category 1 | |
| | Sensitization: | Skin Sensitizer, category 1 | |
| | Repeated dose toxicity: | Unknown | |
| | Carcinogenicity: | Carcinogenicity, category 1A | |
| | Mutagenicity: | Unknown | |
| | Toxicity for reproduction: | Reproductive Toxicity, category 1A | |
| | STOT-single exposure: | STOT, single exposure, category 3, NE & RTI | |
| | STOT-repeated exposure: | STOT, repeated exposure, category 2 | |
| | Aspiration hazard: | Aspiration Hazard, category 1 | |

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

| CAS-No. | Chemical Name | Oral LD50 | Dermal LD50 | Vapor LC50 | Gas LC50 | <u>Dust/Mist</u> LC50 |
|------------|--|--------------------------|--------------------------------|---------------------------------------|-------------------|--------------------------|
| 64742-95-6 | AROMATIC HYDROCARBON | 2001 mg/kg, rat | 2001 mg/kg, rabbit | 9 mg/l, rat, 4hr | 0.000 | 0.000 |
| 108-88-3 | TOLUENE | 5000 mg/kg rat oral | 12267 mg/kg, dermal, rabbit | 8000 ppm/4 hrs, rat, inhalation | No Information | No Information |
| 9003-53-6 | POLYSTYRENE | Not Available | | Not Available | 0.000 | 0.000 |
| 100-51-6 | BENZYL ALCOHOL | 1230 mg/kg rat, oral | 2000 mg/kg, dermal, rabbit | 4176 mg/l / 4h, Inh, Rat | No Information | No Information |
| 9046-10-0 | POLYOXYPROPYLENEDIAMI NE | 475 mg/kg, oral, rat | 2090 mg/kg, dermal, rabbit | Not Available | 0.000 | 0.000 |
| 694-83-7 | 1,2-CYCLOHEXANEDIAMINE | 1170 mg/kg, rat, oral | 1870 mg/kg, dermal, rat | Not Available | 0.000 | 0.000 |
| 90-72-2 | TRIS-2,4,6- (DIMETHYLAMINOMETHYL) PHENOL | 1999 mg/kg (rat) | No Information | No Information | No Information | No Information |
| 100-41-4 | ETHYL BENZENE | 3500 mg/kg rat, oral | >5000 mg/l, dermal rabbit | 17.2 mg/L Inh, Rat, 4Hr | No Information | No Information |
| 98-82-8 | CUMENE | 2910 mg/kg, oral, rat | 12300 MG/ KG (RABBIT) | 8000 ppm / 4 hours | 0.000 | 0.000 |

Additional Information:

This product may contain Ethyl Benzene, which is listed by IARC as possibly carcinogenic to humans (Group 2B). This listing is based on inadequate evidence of carcinogenicity in humans and sufficient evidence in experimental animals.

12. Ecological Information

| 12.1 | Toxici | ty: | | | | | |
|-----------------------------|--|---|--|-----------------------------|------------------------|--------------------------|--|
| | EC50 48hr (Daphnia): | | Unknown | | | | |
| | IC50 72hr (Algae): | | Unknown | | | | |
| | LC | 50 96hr (fish): | Unknov | wn | | | |
| 12.2 | 12.2 Persistence and degradability: | | Unknown | | | | |
| 12.3 | 12.3 Bioaccumulative potential: | | Unknown | | | | |
| 12.4 | 12.4 Mobility in soil: | | Unknown | | | | |
| 12.5 | .5 Results of PBT and vPvB assessment: | | The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII. | | | | |
| 12.6 | 2.6 Other adverse effects: | | Unknown | | | | |
| CAS- | CAS-No. Chemical Name | | | <u>EC50 48hr</u> | <u>IC50 72hr</u> | LC50 96hr | |
| 64742 | 2-95-6 | AROMATIC HYDROCARBON | | No information | No information | No information | |
| 108-8 | 8-3 | TOLUENE | | 6 mg/l (Daphnia magna) | 12.5 mg/L (Algae) | 5.8 mg/L (Fish) | |
| 9003- | -53-6 | POLYSTYRENE | | No information | No information | No information | |
| 100-5 | 51-6 | BENZYL ALCOHOL | | 230 mg/l (Daphnia) | 700 mg/l (Algae) | 10 mg/l (Fish) | |
| 9046- | -10-0 | POLYOXYPROPYLENEDIAMINE | | No information | No information | No information | |
| 694-8 | 3-7 | 1,2-CYCLOHEXANEDIAMINE | | 19.8 mg/l (Daphnia) | 29.6 mg/l (Algae) | No information | |
| 90-72-2 | | TRIS-2,4,6- (DIMETHYLAMINOMETHY PHENOL | Ľ) | No information | 84 mg/l (Algae) | 175 mg/l (Fish) | |
| 100-4 | 1-4 | ETHYL BENZENE | | 1.8 mg/l (Daphnia Magna) | 4.6 mg/l (Green Algae) | 4.2 mg/l (Rainbow Trout) | |
| 98-82 | 2-8 | CUMENE | | No information | No information | 6/32 mg/l (Fish) | |
| 13. Disposal Considerations | | | | | | | |

13.1 WASTE TREATMENT METHODS: Do not burn, or use a cutting torch on, the empty drum. If recycling is not practicable,

dispose of in compliance with local regulations. Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport Information

| 17. | i i anoport i mormation | |
|------|---|----------|
| 14.1 | UN number | UN 1263 |
| 14.2 | UN proper shipping name | Paint |
| | Technical name | N/A |
| 14.3 | Transport hazard class(es) | 3 |
| | Subsidiary shipping hazard | N/A |
| 14.4 | Packing group | II |
| 14.5 | Environmental hazards | Unknown |
| 14.6 | Special precautions for user | Unknown |
| | EmS-No.: | F-E, S-E |
| 14.7 | Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code | Unknown |

15. Regulatory Information

^{15.1} Safety, health and environmental regulations/legislation for the substance or mixture:

U.S. Federal Regulations: As follows -

CERCLA - Sara Hazard Category

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Flammable (gases, aerosols, liquids, or solids), Carcinogenicity, Acute Toxicity (any route of exposure), Reproductive toxicity, Skin Corrosion or Irritation, Respiratory or Skin Sensitization, Specific target organ toxicity (single or repeated exposure), Aspiration Hazard

Sara Section 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

| <u>Chemical Name</u> | CAS-No. | <u>%</u> |
|------------------------|----------|----------|
| TOLUENE | 108-88-3 | 21.41 |
| 1,2,4 TRIMETHYLBENZENE | 95-63-6 | 0.41 |
| META-XYLENE | 108-38-3 | 0.19 |
| PARA-XYLENE | 106-42-3 | 0.08 |
| ORTHO-XYLENE | 95-47-6 | 0.06 |
| BENZENE | 71-43-2 | 0 |
| | | |

Toxic Substances Control Act:

All components of this product are either listed on the TSCA Inventory or are exempt.

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

No TSCA 12(b) components exist in this product.

U.S. State Regulations: As follows -

New Jersey Right-to-Know:

The following materials are non-hazardous, but are among the top five components in this product.

Chemical Name

CAS-No.

CYCLOALIPHATIC AMINE

Pennsylvania Right-To-Know

The following non-hazardous ingredients are present in the product at greater than 3%.

Chemical Name CYCLOALIPHATIC AMINE CYCLOALIPHATIC AMINE

CALIFORNIA PROPOSITION 65

WARNING: Cancer and Reproductive Harm -- www.P65Warnings.ca.gov

International Regulations: As follows -

* Canadian DSL:

All chemical ingredients included on inventory (DSL)

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

16. Other Information

Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

| H225 | Highly flammable liquid and vapour. |
|------|--|
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H336 | May cause drowsiness or dizziness. |
| H350 | May cause cancer. |
| H351 | Suspected of causing cancer. |
| H360 | May damage fertility or the unborn child. |
| H361 | Suspected of damaging fertility or the unborn child. |
| H370 | Causes damage to organs. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| | |

Reasons for revision

No Information

The information contained herein is, to the best of our knowledge and belief accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.

CAS-No. TRADE SECRET TRADE SECRET

TRADE SECRET